




L-MATSP-42-H1
MASTER 12W SPOTLIGHT ZOOM
13°- 50° MEDIUM BEAM
PRODUCT CUTSHEET



FEATURES

- Focusable 13° to 50°
- Fully Dimmable with onboard dimmer
- Full range of accessories including Barndoors, Snoots, Filter Frames & more
- Compatible with Stucchi, Global, and Eutrac
- No tools are needed for mounting and focusing the fixtures.

AVAILABLE ACCESSORIES



L-MAS-40
ANGLED
SNOOT



L-MABD-40
BARNDOOR



L-COZ-40
CACHE




TECHNICAL DATA

Voltage	100-240VAC	Main Material	Aluminum
Led Wattage	12.8W	Color Finishing	Black, White and Silver
Wattage Once Used	17W	Working Temperature	recommended 10°C to 25°C *
Input Current	73mA	Storage Temperature	recommended 22°C
Beam Angles	Zoomable 13° to 50°	Certificates / Standard	UL, CE
Pan / Tilt	355°/180°	Warranty	5 years
Luminous Efficiency of the LED	103lm/W	Lifespan	50 000 hours
Color Temperatures	2700K, 3000K, 3500K, 4000K, 5000K	Lens	Glass
Adapter	Eutrac, Stucchi, Global	LED	COB
Dimmable Options	On board Dimmer: PWM, range 0-100%	Class	III, Indoor use only
CRI	97 min	Rating	IP30
Weight	1015g	Dimensions	131*95*215 (mm)

PHOTOMETRICS

13°		◀Zoom▶		50°	
Distances					
Ø114mm	36440 lux	0.5m	4440 lux	Ø466mm	
Ø228mm	9110 lux	1m	1110 lux	Ø933mm	
Ø342mm	4410 lux	1.5m	525 lux	Ø1399mm	
Ø456mm	2400 lux	2m	295 lux	Ø1865mm	
Ø570mm	1500 lux	2.5m	195 lux	Ø2332mm	

12.8W Spotlights can transform into Zoom Spotlights, Quadri-Framing Shutter Spotlights, and Quadri Zoom Framing-Shutter Spotlights - with one body you can have either a spotlight or a framing shutter spotlight.





LUXAM

LIGHTING FOR MUSEUMS

PRODUCT CUTSHEET

L-MATSP-42-H1

MASTER 12W SPOTLIGHT ZOOM 13° - 50° MEDIUM BEAM

TRACKS COMPATIBLE

Global Track

Stucchi

Eutrac



luxam.com

LUXAM USA

12201 NW 35 Ste #534
Coral Springs, FL 33065
954 755 72 54 | info@luxam.com

LUXAM EUROPE

80 rue du Dessous des Berges
75013 Paris
+33982272946 | france@luxam.com

LUXAM GERMANY

Metzgerfeldweg 21
85737 Ismaning
+498951999651 | germany@luxam.com

LUXAM UK

184 Park Avenue
London NW10 7XL
info@luxam.com

PAGE 5 OF 5

REVISED ON MAY 2026