



LUXAM MUSEUM LIGHTING

- FIBER OPTIC BUNDLES -

Active Diameter	1.5mm	2.0mm	3.0mm	4.0mm	5.0mm
Outside Diameter	2.0mm	2.8mm	6.0mm	7.0mm	8.0mm
Minimum 90° turning radius	20mm (3/4")	40mm (1.57")	50mm (2")	60mm (3")	65mm (4")
*Optimal fibers/connector	30	24	20	12	4


TYPICAL FIBER BUNDLES W/ ORDER CODE:

- **Bundle 1.5 x 24 x 3**
1.5mm x 24 tails x 3 meters, to common connector
- **Bundle 2 x 16 x 3**
2.0mm x 16 tails x 3 meters, to common connector
- **Bundle 3 x 12 x 4**
3.0mm x 12 tails x 4 meters, to common connector
- **Bundle combo 1.5 x 10 x 3 + 2 x 10 x 3**
Combo - 20 tails, 10 x 1.5mm and 10 x 2 x 3 meters to common connector

Custom fiber bundles of any length and combination of diameters available as standard order.

Maximum tail length for optimal performance is recommended to be less than 20'.

SPECIFICATION





LUXAM MUSEUM LIGHTING

- FIBER OPTIC INSTALLATION -





LUXAM MUSEUM LIGHTING

- FIBER OPTIC INSTALLATION -

