



LUXAM
Lighting For Museums

LUXAM.COM



MICROLED SYSTEM

Product Catalog

LAND

WATER

LAND


IR

WORLD'S LEADING

MUSEUM SHOWCASE
LIGHTING COMPANY

TABLE OF CONTENTS

4	MicroLED System
5	MicroTrack Tracks
6	All Microtrack Fixtures
7	MicroTrack Spotlight Fixtures
8	MicroTrack Spotlight Variations
9	MicroTrack Spotlight Accessories
10	Spotlight Photometrics
12	MicroTrack Lightbar Fixtures
13	Lightbar Photometrics
14	Quadri Framing Shutter Spotlight
16	MicroTrack Wall Washers
17	MicroTrack Wall Washer Photometrics
18	MicroMono Standalone Fixtures
20	MicroMono Standalone Stem Fixtures
22	Talea 10MM LEDStick
26	2022 MicroTrack System Order Codes
37	Drivers
38	Photo Credits
39	References



MICROLED SYSTEM

The Luxam MicroLED system enables to easily set up a high quality, functional lighting, within museums and galleries. Each powerful fixture has individual adjustable beam spreads and brightness levels, making it effortless to craft a perfectly tailored light.




Within the MicroLED Family we have two systems - the MicroTrack which includes spotlights, lightbars and wall washer which go on tracks; and the MicroMono - standalone versions of the spotlights, stems, and ledsticks.



MICROTRACK TRACKS

Tracks are available in 1M, 2M, and can be custom cut.
Available colors are Black, White, and Silver.

Standard Track L-MTHTK



L-MTEC-01



L-MTCJ-01



L-MTSJ-01




L-MTCP-01



L-MTFCJ-01

Vertical Track L-MTOTK



L-MTOEC-01



L-MTOSJ-01




L-MTOCJ-01



L-MTOCP-01




L-MTFL-01



L-MTFL-01



Recessed Track L-MTRTK



L-MTREC-01



L-MTRSJ-01



L-MTRCJ-01



L-MTRCP-01

MICROTRACK FIXTURES

All fixtures can mix and match on the same track.



L-MTSP-12

1W - Onboard dimmer

L-MTSP-02

3W - Onboard dimmer

L-MTSP-22

6W - Onboard dimmer



L-MTWS -22

Wall Washer 5W
with Barndoor

L-MTWS -32

Wall Washer 10W
with Barndoor



L-MTFS-02

3W - Quadri Framing
Shutter Spotlight

L-MTFS-22


6W - Quadri Framing
Shutter Spotlight



L-MTBA-01 : Light Bar

L-MTBA-01-B


MICROTRACK SPOTLIGHT FIXTURES



L-MTSP-12 1W

Voltage/wattage	12V / 1.2W
Input current	100mA
Beam angles	Zoomable 9° to 70°
Luminous flux	98 lm @RA97 / 56 lm
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	97 typ
Weight	39g


Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	10°C to 25°C
Storage temperature	Recommended 22°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30
Without Onboard dimmer:	L-MTSP-11



L-MTSP-02 3W

Voltage/wattage	12V / 3.8W
Input current	340mA
Beam angles	Zoomable 8° to 60°
Luminous flux	270 lm @RA97 / 130 lm
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	97 typ
Weight	84g

Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	10°C to 25°C
Storage temperature	Recommended 22°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30
Without Onboard dimmer:	L-MTSP-01



L-MTSP-22 6W

Voltage/wattage	11V-24VDC / 7.8W
Input current	650mA - 330mA
Beam angles	Zoomable 8° to 55°
Luminous flux	813 lm @RA97 / 255 lm
Color temperature	3000K, 4000K, 5000K
Dimmable options	Dimmer: PWM, range 0-100%
CRI	97 typ
Weight	158g

Main materials	Aluminum
Color finished	Black, White and Silver
Working temperature	10° to 25°C
Storage temperature	Recommended 22°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30



MICROTRACK SPOTLIGHT VARIATIONS

L-MTSP-12 1W



L-MTSP-12 with onboard dimmer

FEATURES:

Fully compatible with all MicroTrack systems

Compatible accessories : Barndoors, Angled Snoots, & Filter frames

Luminix Filter Range for Beam Shaping available

Two versions:

- Available with Remote Dimming : L-MTSP-11

STANDALONE VERSION:

with onboard dimmer (L-MTSA-12)

without onboard dimmer (L-MSPS-10)

L-UPL-10-1, L-UPL-10-2/3/4



L-MTSP-11
1W Remote Dimmer



L-MTSA-12
1W Standalone
Onboard Dimmer



L-MSPS-10
1W Standalone Remote Dimmer



L-UPL-10-1/2/3/4
Stem Lights

L-MTSP-02 3W



L-MTSP-02 with onboard dimmer

FEATURES:

Fully compatible with all MicroTrack systems

Fully dimmable and focusable

Full range of accessories including Barndoors, Snoots, Filter Frames, etc.

Two versions:

- Available with Remote Dimming : L-MTSP-01

STANDALONE VERSION:

with onboard dimmer (L-MTSA-02)

without onboard dimmer (L-MSPS-00)



L-MTSP-01
3W Remote Dimmer



L-MTSA-02
3W Standalone
Onboard Dimmer



L-MSPS-00
3W Standalone Remote Dimmer



L-MTFS-02
3W Quadri -
Framing Shutter Spotlight

L-MTSP-22 6W



L-MTSP-22 with onboard dimmer

FEATURES:

Fully compatible with all MicroTrack systems

Fully Dimmable and Focusable

Compatible accessories : Angled Snoots & Barndoor

Quadri Framing Shutter Head can be added to the body of the L-MTSP-22 and transform into L-MTFS-22

VERSION STANDALONE:

with onboard dimmer (L-MTSA-22)



L-MTSA-22
6W Standalone Onboard Dimmer



L-MTFS-22
6W Quadri -
Framing Shutter Spotlight

MICROTRACK SPOTLIGHT ACCESSORIES



L-MTSP-12 1W



L-MTAS-10



L-MTBD-10



L-MTFH-10



L-MTSP-02 3W



L-MTFH-01



L-MTAR-01



L-MTSC-01



L-MTSN-01



L-MTAS-01



L-MTBD-01



BOOSTER

L-MTBS-01



L-MTSP-22 6W



L-MTAS-20



L-MTBD-20



L-MTSP-12 1W



1W with Onboard Dimmer

9°		◀Zoom▶		60°	
Distances					
Ø0.15m	2048 lux	0.5m	216 lux	Ø0.86m	
Ø0.30m	512 lux	1m	54 lux	Ø1.71	
Ø0.44m	227 lux	1.5m	24 lux	Ø2.56m	
Ø0.59m	128 lux	2m	13 lux	Ø3.41m	

L-MTSP-02 3W



3W with Onboard Dimmer

7°		◀Zoom▶		60°	
Distances					
Ø0.12m	8800 lux	0.5m	844 lux	Ø0.61m	
Ø0.25m	2200 lux	1m	211 lux	Ø1.22m	
Ø0.37m	977 lux	1.5m	93 lux	Ø1.83m	
Ø0.50m	550 lux	2m	52 lux	Ø2.44m	

L-MTSP-22 6W



6W with Onboard Dimmer

8°		◀Zoom▶		55°	
Distances					
Ø0.13m	22757 lux	0.5m	1655 lux	Ø0.6m	
Ø0.26m	5690 lux	1m	414 lux	Ø1.2	
Ø0.39m	2528 lux	1.5m	184 lux	Ø1.8m	
Ø0.51m	1422 lux	2m	103 lux	Ø2.4m	



MICROTRACK LIGHTBAR FIXTURE



Dimmer Switch
0-100%

50°

FEATURES:

Fully compatible with all MicroTrack systems

Available with Clear or Frosted Filters


Onboard Dimmer and Tilt function

The LightBar can be used alone or with other MicroTrack fixtures to provide the desired effect - wash and spot.


The 1W, 3W, and the 6W MicroTrack heads can be combined together with the Lightbar on the same track. All have the ability to be individually dimmed creating a highly functional system.



L-MTBA-01-B/W-45



L-MTBA-01-B/W-90




TECHNICAL DATA: L-MTBA-01

Power Input	7W/450mm// 15W/900mm-Voltage:12VDC
Control	On-board Dimmer
LED	Smart Eco
CRI	97
CCT	3000K , 4000K , 5000K



Filter	Clear or frosted
Rotation angle	0-50°
Body	Aluminum / PC
Rating	IP30
Dimensions	450-900x27x38 (mm)

Distance	1m, 2m
L-MTBA-01-B/W-45	80 lux, 20 lux
L-MTBA-01-B/W-90	140 lux, 35 lux




L-MTBA-450 Lightbar 7W (18'')

112°



L-MTBA-900 Lightbar 15W (36'')

112°



MICROTRACK LIGHTBAR FIXTURE

FEATURES:


Fully compatible with all MicroTrack systems

Fully dimmable and Focusable

L-MTFS-02 3W



L-MTFS-02
3W - Quadri Framing Shutter Spotlight




TECHNICAL DATA: L-MTFS-02

Voltage/wattage	11v -24VDC / 3.8W
Beam angle	55°
Input Current	340mA
Polarity	No polarity required
Dimming	PWM Dimming
CRI	97 typ
CCT	3000K, 4000K, 5000K
Head Pan	355° /tilt 90°
Indoor use	IP30
Material	Alum. Alloy / PC

L-MTFS-22 6W



L-MTFS-22
6W - Quadri Framing Shutter Spotlight




TECHNICAL DATA: L-MTFS-22


Voltage/wattage	11v -24VDC / 7.8W
Beam angle	55°
Input Current	650mA - 330mA
Polarity	No polarity required
Dimming	PWM Dimming
CRI	97 typ
CCT	3000K, 4000K, 5000K
Head Pan	355° /tilt 90°
Rating	IP30
Material	Aluminum

The Quadri L-MTFS-02 and L-MTFS-22 are Framing Shutter spotlights and work with all our MicroLED tracks.

The L-MTSP-22 6W Spotlight can transform into the L-MTFS-22 Quadri spotlight - with one body you can have either a spotlight or a framing shutter spotlight.



MICROTRACK WALL WASHERS



FEATURES:

These fixtures are designed to evenly highlight a wall from top to bottom, also used inside the showcases they light the back panels.

Fully compatible with all MicroTrack systems

Available in Black or White

Onboard dimmer

L-MTWS-22 5W



TECHNICAL DATA: L-MTWS-22

Power	5W
Beam angle	Washer effect
Voltage	12V DC
Input Current	410mA
Class	III
Dimmer	PWM 0-100%
CRI	97 typ
CCT	3000K , 4000K , 5000K
Indoor use	IP30
Material	Alum. Alloy / PC

L-MTWS-32 10W




TECHNICAL DATA: L-MTWS-32

Power	10.5W
Beam angle	Washer effect
Voltage	12V DC
Input Current	860mA
Class	III
Dimmer	PWM 0-100%
CRI	97 typ
CCT	3000K , 4000K , 5000K
Indoor use	IP30
Material	Alum. Alloy / PC




PHOTOMETRICS

MicroTrack Wall Washer Fixture Photometrics



Distance between wallwashers = Distance from the wall



MICROMONO STANDALONE FIXTURES

The standalone heads are ideal when there is no possibility to use a track or when only individual lights are required.



L-MSPS-10
1W - Standalone



L-MSPS-00
3W - Standalone



L-MTSA-12
1W - with Onboard dimmer



L-MTSA-02
3W - with Onboard dimmer



L-MTSA-22
6W - with Onboard dimmer

The L-MTSA model heads are provided with a double fixation system: a magnet mated to a screw-in mounting plate, making them adapted for metallic, wood or aluminum alloy supports.

**12VDC PICKUP
CONNECTOR**



**MAGNETIC/ SCREW-ON FIXTURE FOR
L-MTSA MODELS**



MICROMONO STANDALONE FIXTURES



L-MSPS-10

Voltage	For Constant Current	Tilt angle	90°
Power	1W	Pan angle	355°
Input Current	300W 350m A	Lens	Glass BK7
Dimmer	PWM0-100% with remote dimmer	Beam angles	9° to 60°
CRI	97	Light Color	3000K, 4000K, 5000K
Standard	UL - CE	Fixture Color	Black, White or Silver



L-MTSA-12

Voltage	12 VDC	Tilt angle	90°
Power	1.2W	Pan angle	355°
Input Current	100mA	Lens	Glass BK7
Dimmer	PWM 0-100% with onboard dimmer	Beam angles	9° to 70°
CRI	97 typ	Light Color	3000K, 4000K, 5000K
Standard	UL - CE	Fixture Color	Black, White or Silver



L-MSPS-00

Voltage	For Constant Current	Tilt angle	90°
Power	3W	Pan angle	355°
Input Current	700-1000mA	Lens	Glass BK7
Dimmer	PWM 0-100% with remote dimmer	Beam angles	8° to 56°
CRI	97 typ	Light Color	3000K, 4000K, 5000K
Standard	UL - CE	Fixture Color	Black, White or Silver



L-MTSA-02

Voltage	12 VDC	Tilt angle	90°
Power	3.8W	Pan angle	355°
Input Current	340mA	Lens	Glass BK7
Dimmer	PWM 0-100% with onboard dimmer	Beam angles	8° to 56°
CRI	97 typ	Light Color	3000K, 4000K, 5000K
Standard	UL	Fixture Color	Black, White or Silver




L-MTSA-22

Voltage	11V - 24VDC	Tilt angle	90°
Power	7.2W	Pan angle	355°
Input Current	650mA - 330m A	Lens	Glass BK7
Dimmer	PWM 0-100% with onboard dimmer	Beam angles	8° to 55°
CRI	97 typ	Light Color	3000K, 4000K, 5000K
Standard	UL, CE	Fixture Color	Black, White and Silver

MICROMONO STANDALONE STEM FIXTURES

L-UPL-10-1 STEM1



Stem 1 comes with a 6mm rod with ad justable heights

FEATURES:

STEM 1 has a single stationary spot light

Full range of accessories – Barndoors, Snoots, Filter frame, etc.


Stem 1 comes with a 6mm rod with ad justable heights

Focusable from 10° to 60°

TECHNICAL DATA : L-UPL-10-1

Voltage/Wattage	For Constant Current
Input Current	300-350mA Constant Current (connect in series)
Beam angles	9° to 70°
Dimmable options	Compatible PWM with external dimmer
CRI	97 typ
CCT	3000K, 4000K, 5000K
Main materials	Aluminum Alloy / PC
Color Definition	Black, White and Silver
Certificates	UL - CE
Warranty	5 years
Protection	IP30

L-UPL-10-2/3/4



FEATURES:

Choose between 2, 3, or 4 heads - standard or custom heights available

Full range of accessories – Barndoors, Snoots, Filter frame, etc.

Fixed on a 10mm bar

Focusable from 9° to 60°

TECHNICAL DATA : L-UPL-10-2/3/4

Voltage/Wattage	For Constant Current
Input Current	600-700mA/900-1050mA/1200-1400mA
Beam angles	9° to 70°
Dimmable options	Compatible PWM with external dimmer
CRI	97 typ
CCT	3000K, 4000K, 5000K
Main materials	Aluminum Alloy / PC
Color Definition	Black, White, Silver, Gold
Certificates	UL - CE
Warranty	5 years
Protection	IP30




**AN OLD SYSTEM
IN THE NEW WORLD**

The history of New York and the Philippe family

The history of New York and the Philippe family

Digging Deeper

Archaeology can shed light on the past in many ways. A dig at the Upper Mills in the 1990s revealed the ghostmill's original timber, along with pottery shards and other pieces—confirmation that Adolph Philippe used the site for his trading business. Today, archaeologists look beyond the Philippe family, reexamining artifacts to better understand the Manor's enslaved community, servants, tenant farmers, and the Munsee people.



Archaeologist Richard Robbins oversees the excavation of the Manor's Upper Mills basement ruins and ruins.

TALEA 10MM LEDSTICK

L-MBA-01: TALEA 10mm LEDSTICK with ADJUSTABLE BARN DOOR

Unique adjustable barndoor feature. Barndoor can be removed and can be adjusted in order to control the beam spread 30-120° degrees.

FEATURES:

Available in 1M, 1.5M and 2M in length

12V input with 15, 23 and 30W output

Light Colors in 3000K, 4000K, or 5000K


Standard color is Black Anodized


Adjustable 30-120° degree clean cut Beamspread

Adjustable height 5cm-2 meters

TECHNICAL DATA : L-MBA-01


Voltage/Wattage	12 VDC
Input Current	1000mA/meter
Beam Angles	90°
Pan	360°
Dimmable Options	Dimmable with PWM driver
CRI	97+
CCT	3000K, 4000K, 5000K
Main Materials	Aluminum
Color Definition	Black, White, Silver, Gold
Certificates	UL - CE
Warranty	5 years
Protection	IP30





LEDSTICK 18W – 1000mm

112°





FROM CASES TO LOW CEILINGS

After over 20 years as museum display case lighting specialist, Luxam has organically start to come out of cases and into spaces.

Once our MicroLED line launched, our clients started using our spotlights for low ceiling applications, and exhibit/architectural lighting where a larger track and fixture could not necessarily be attached or was not needed. From new spaces to historical houses - the MicroLED line is the ideal solution for easy to use and quick to adjust high quality lighting.

We've therefore organically developed part of the MicroLED family with this evolution in mind, from recessed tracks, a larger 6W Spotlight, white and silver colors available, and now 6W Quadri Framing Shutter Spotlight.

We are always listening to our clients, designers and partners to create better tools and solutions.




PHOTO 9

L U X A M

2022 MICROTRACK SYSTEM

ORDER CODES



MICRO SPOT 1W

MICROSPOT 1W



REFERENCES

L-MTSP-12-B-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, Black
L-MTSP-12-B-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, Black
L-MTSP-12-B-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, Black
L-MTSP-12-W-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, White
L-MTSP-12-W-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, White
L-MTSP-12-W-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, White
L-MTSP-12-S-3K	Micro Spot 1.2W/12VDC, Dimmer, 3000K, Silver
L-MTSP-12-S-4K	Micro Spot 1.2W/12VDC, Dimmer, 4000K, Silver
L-MTSP-12-S-5K	Micro Spot 1.2W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT 1W NON-DIMMER



REFERENCES

L-MTSP-11-B-3K	Micro Spot 1.2W/12VDC, Without onboard dimmer, 3000K Black
----------------	--

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 1W



REFERENCES

L-MSPS-10-B-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, Black
L-MSPS-10-B-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, Black
L-MSPS-10-B-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, Black
L-MSPS-10-W-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, White
L-MSPS-10-W-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, White
L-MSPS-10-W-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, White
L-MTSP-10-S-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, Silver
L-MTSP-10-S-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, Silver
L-MTSP-10-S-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 1W DIMMER



REFERENCES

L-MTSA-12-B-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, Black
L-MTSA-12-B-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, Black
L-MTSA-12-B-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, Black
L-MTSA-12-W-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, White
L-MTSA-12-W-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, White
L-MTSA-12-W-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, White
L-MTSA-12-S-3K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 3000K, Silver
L-MTSA-12-S-4K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 4000K, Silver
L-MTSA-12-S-5K	Micro Spot Standalone 1.2W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

STEMLIGHT



REFERENCES

L-UPL-10-1	StemLight 1 Heads, 3000k/4000k/5000k, Black, White, Gold, Silver
L-UPL-10-2	StemLight 2 Heads, 3000k/4000k/5000k, Black, White, Gold, Silver
L-UPL-10-3	StemLight 3 Heads, 3000k/4000k/5000k, Black, White, Gold, Silver
L-UPL-10-4	StemLight 4 Heads, 3000k/4000k/5000k, Black, White, Gold, Silver

PRODUCT DESCRIPTION

MICRO SPOT 1W ACCESSORIES

BARNDOR



REFERENCES

L-MTBD-10-B

PRODUCT DESCRIPTION

Barndoor for 1.2W Micro Spot, Black

L-MTBD-10-W

Barndoor for 1.2W Micro Spot, White

L-MTBD-10-S

Barndoor for 1.2W Micro Spot, Silver

ANGLED SNOOT



REFERENCES

L-MTAS-11-B

PRODUCT DESCRIPTION

Angled Snoot for 1.2W Micro Spot, Black

L-MTAS-11-W

Angled Snoot for 1.2W Micro Spot, White

L-MTAS-11-S

Angled Snoot for 1.2W Micro Spot, Silver

FILTER HOLDER



REFERENCES

L-MTFH-11-B

PRODUCT DESCRIPTION

Filter Holder for 1.2W Micro Spot, Black

L-MTFH-11-W

Filter Holder for 1.2W Micro Spot, White

L-MTFH-11-S

Filter Holder for 1.2W Micro Spot, Silver

MICRO SPOT 3W

MICROSPOT 3W



REFERENCES

L-MTSP-02-B-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, Black
L-MTSP-02-B-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, Black
L-MTSP-02-B-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, Black
L-MTSP-02-W-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, White
L-MTSP-02-W-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, White
L-MTSP-02-W-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, White
L-MTSP-02-S-3K	Micro Spot 3.8W/12VDC, Dimmer, 3000K, Silver
L-MTSP-02-S-4K	Micro Spot 3.8W/12VDC, Dimmer, 4000K, Silver
L-MTSP-02-S-5K	Micro Spot 3.8W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT 3W NON-DIMMER



REFERENCES

L-MTSP-01-B	Micro Spot 3.8W/12VDC, Without onboard dimmer, 3000K Black
-------------	--

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 3W



REFERENCES

L-MSPS-00-B-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, Black
L-MSPS-00-B-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, Black
L-MSPS-00-B-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, Black
L-MSPS-00-W-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, White
L-MSPS-00-W-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, White
L-MSPS-00-W-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, White
L-MTSP-00-S-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, Silver
L-MTSP-00-S-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, Silver
L-MTSP-00-S-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 3W DIMMER



REFERENCES

L-MTSA-02-B-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, Black
L-MTSA-02-B-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, Black
L-MTSA-02-B-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, Black
L-MTSA-02-W-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, White
L-MTSA-02-W-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, White
L-MTSA-02-W-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, White
L-MTSA-02-S-3K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 3000K, Silver
L-MTSA-02-S-4K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 4000K, Silver
L-MTSA-02-S-5K	Micro Spot Standalone 3.8W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

QUADRI 3W



REFERENCES

L-MTFS-02-B-3K	Framing Shutter Spotlight, 3.8W/12-24VDC, Dimmer, 3000K, Black
L-MTFS-02-B-4K	Framing Shutter Spotlight, 3.8W/12-24VDC, Dimmer, 4000K, Black
L-MTFS-02-W-3K	Framing Shutter Spotlight, 3.8W/12-24VDC, Dimmer, 3000K, White
L-MTFS-02-W-4K	Framing Shutter Spotlight, 3.8W/12-24VDC, Dimmer, 4000K, White

PRODUCT DESCRIPTION

MICRO SPOT 3W ACCESSORIES

BARNDOOR



REFERENCES	PRODUCT DESCRIPTION
L-MTBD-01-B	Barndoor for 3.8W Spot, Black
L-MTBD-01-W	Barndoor for 3.8W Spot, White
L-MTBD-01-S	Barndoor for 3.8W Spot, Silver

FULL SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTSN-01-B	Snoot for 3.8W Spot, Black
L-MTSN-01-W	Snoot for 3.8W Spot, White
L-MTSN-01-S	Snoot for 3.8W Spot, Silver

ANGLED SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTAS-01-B	Angled Snoot for 3.8W Spot, Black
L-MTAS-01-W	Angled Snoot for 3.8W Spot, White
L-MTAS-01-S	Angled Snoot for 3.8W Spot, Silver

CONE SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTSC-01-B	Cone Snoot for 3.8W Spot, Black
L-MTSC-01-W	Cone Snoot for 3.8W Spot, White
L-MTSC-01-S	Cone Snoot for 3.8W Spot, Silver

FILTER HOLDER



REFERENCES	PRODUCT DESCRIPTION
L-MTFH-01-B	Filter Holder for 3.8W Spot, Black
L-MTFH-01-W	Filter Holder for 3.8W Spot, White
L-MTFH-01-S	Filter Holder for 3.8W Spot, Silver

ARCHITECTURE FILTER



REFERENCES	PRODUCT DESCRIPTION
L-MTAR-01-B	Architecture Filter for 3.8W Spot, Black
L-MTAR-01-W	Architecture Filter for 3.8W Spot, White
L-MTAR-01-S	Architecture Filter for 3.8W Spot, Silver

BOOSTER



REFERENCES	PRODUCT DESCRIPTION
L-MTBS-01-B	Booster for 3.8W Spot, Black
L-MTBS-01-W	Booster for 3.8W Spot, White
L-MTBS-01-S	Booster for 3.8W Spot, Silver

MICRO SPOT 6W

MICROSPOT 6W



REFERENCES

L-MTSP-22-B-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, Black
L-MTSP-22-B-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, Black
L-MTSP-22-B-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, Black
L-MTSP-22-W-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, White
L-MTSP-22-W-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, White
L-MTSP-22-W-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, White
L-MTSP-22-S-3K	Micro Spot 6W/12VDC, Dimmer, 3000K, Silver
L-MTSP-22-S-4K	Micro Spot 6W/12VDC, Dimmer, 4000K, Silver
L-MTSP-22-S-5K	Micro Spot 6W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

MICROSPOT STANDALONE 6W DIMMER



REFERENCES

L-MTSA-22-B-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, Black
L-MTSA-22-B-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, Black
L-MTSA-22-B-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, Black
L-MTSA-22-W-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, White
L-MTSA-22-W-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, White
L-MTSA-22-W-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, White
L-MTSA-22-S-3K	Micro Spot Standalone 6W/12VDC, Dimmer, 3000K, Silver
L-MTSA-22-S-4K	Micro Spot Standalone 6W/12VDC, Dimmer, 4000K, Silver
L-MTSA-22-S-5K	Micro Spot Standalone 6W/12VDC, Dimmer, 5000K, Silver

PRODUCT DESCRIPTION

QUADRI 6W



REFERENCES

L-MTFS-22-B-3K	Framing Shutter Spotlight, 7.8W/12V-24VDC, Dimmer, 3000K, Black
L-MTFS-22-B-4K	Framing Shutter Spotlight, 7.8W/12V-24VDC, Dimmer, 4000K, Black
L-MTFS-22-W-3K	Framing Shutter Spotlight, 7.8W/12V-24VDC, Dimmer, 3000K, White
L-MTFS-22-W-4K	Framing Shutter Spotlight, 7.8W/12V-24VDC, Dimmer, 4000K, White

PRODUCT DESCRIPTION

LED ENGINE 6W



REFERENCES

L-MTLED-22-B	LED Engine 6W, 3000K/4000K, Black
--------------	-----------------------------------

PRODUCT DESCRIPTION

ZOOM LENS 6W



REFERENCES

L-MTZO-22-B	Zoom Lens 6W, Black
-------------	---------------------

PRODUCT DESCRIPTION

FRAMING SHUTTER LENS PLUS ADAPTER




REFERENCES

L-MTQAD	Framing Shutter Lens + Adapter
---------	--------------------------------

PRODUCT DESCRIPTION

MICRO SPOT 6W ACCESSORIES

BARNDOOR



REFERENCES

L-MTBD-20-B

L-MTBD-20-W

L-MTBD-20-S

PRODUCT DESCRIPTION

Barndoor for 6W Spot, Black

Barndoor for 6W Spot, White

Barndoor for 6W Spot, Silver

ANGLED SNOOT



REFERENCES

L-MTAS-20-B

L-MTAS-20-W

L-MTAS-20-S

PRODUCT DESCRIPTION

Angled Snoot for 6W Spot, Black

Angled Snoot for 6W Spot, White

Angled Snoot for 6W Spot, Silver

LIGHTBAR AND WALLWASHER

MICRO LIGHTBAR



REFERENCES

L-MTBA-01-B-45-3K	Microtrack LED Bar, 3000K, 45cm (18"), Black
L-MTBA-01-B-45-4K	Microtrack LED Bar, 4000K, 45cm (18"), Black
L-MTBA-01-W-45-3K	Microtrack LED Bar, 3000K, 45cm (18"), White
L-MTBA-01-W-45-4K	Microtrack LED Bar, 4000K, 45cm (18"), White
L-MTBA-01-B-90-3K	Microtrack LED Bar, 3000K, 90cm (36"), Black
L-MTBA-01-B-90-4K	Microtrack LED Bar, 4000K, 90cm (36"), Black
L-MTBA-01-W-90-3K	Microtrack LED Bar, 3000K, 90cm (36"), White
L-MTBA-01-W-90-4K	Microtrack LED bar, 4000k, 90cm (36"), White

PRODUCT DESCRIPTION

MICRO WALL WASHERS 5W



REFERENCES

L-MTWS-22-B-3K	Wall Washer for Microtrack, 5W - 3000K, Black
L-MTWS-22-B-4K	Wall Washer for Microtrack, 5W - 4000K, Black
L-MTWS-22-W-3K	Wall Washer for Microtrack, 5W - 3000K, White
L-MTWS-22-W-4K	Wall Washer for Microtrack, 5W - 3000K, White

PRODUCT DESCRIPTION

MICRO WALL WASHERS 10W



REFERENCES

L-MTWS-32-B-3K	Wall Washer for Microtrack, 10W - 3000K, Black
L-MTWS-32-B-4K	Wall Washer for Microtrack, 10W - 4000K, Black
L-MTWS-32-W-3K	Wall Washer for Microtrack, 10W - 3000K, White
L-MTWS-32-W-4K	Wall Washer for Microtrack, 10W - 4000K, White

PRODUCT DESCRIPTION

MICRO LEDSTICK




REFERENCES

L-MBA-01-B-100	10mm, 100cm, 12V/15W, Black
L-MBA-01-B-150	10mm, 150cm, 12V/23W, Black
L-MBA-01-B-200	10mm, 200cm, 12V/30W, Black

PRODUCT DESCRIPTION

H-SHAPE MICRO TRACK

H-SHAPE MICRO TRACK



REFERENCES	PRODUCT DESCRIPTION
------------	---------------------

L-MTHTK-100-B	H-Shape Micro Track 1 meter Black
L-MTHTK-100-W	H-Shape Micro Track 1 meter White
L-MTHTK-100-S	H-Shape Micro Track 1 meter Silver
L-MTHTK-200-B	H-Shape Micro Track 2 meters Black
L-MTHTK-200-W	H-Shape Micro Track 2 meters White
L-MTHTK-200-S	H-Shape Micro Track 2 meters Silver

LIVE END CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
------------	---------------------

L-MTEC-01-B	Live End Connector for H-shape Track, Black
L-MTEC-01-W	Live End Connector for H-shape Track, White
L-MTEC-01-S	Live End Connector for H-shape Track, Silver

STRAIGHT JUNCTION CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
------------	---------------------

L-MTSJ-01-B	Straight Junction Connector for H-shape Track, Black
L-MTSJ-01-W	Straight Junction Connector for H-shape Track, White
L-MTSJ-01-S	Straight Junction Connector for H-shape Track, Silver

90° CORNER JUNCTION



REFERENCES	PRODUCT DESCRIPTION
------------	---------------------

L-MTCJ-01-B	90° Corner Junction for H-shape Track, Black
L-MTCJ-01-W	90° Corner Junction for H-shape Track, White
L-MTCJ-01-S	90° Corner Junction for H-shape Track, Silver

90° INSIDE FLAT CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
------------	---------------------

L-MTFCJ-01-B	90° Inside-slot Flat Connector for H-shape Track
--------------	--

END CAP



REFERENCES	PRODUCT DESCRIPTION
------------	---------------------

L-MTCP-01-B	End cap for H-shape track, Black
L-MTCP-01-W	End cap for H-shape track, White
L-MTCP-01-S	End cap for H-shape track, Silver

O-SHAPE MICRO TRACK

O-SHAPED MICRO TRACK



REFERENCES

L-MTOK-100-B	O-Shape Micro Track 1 meter Black
L-MTOK-100-W	O-Shape Micro Track 1 meter White
L-MTOK-100-S	O-Shape Micro Track 1 meter Silver
L-MTOK-200-B	O-Shape Micro Track 2 meters Black
L-MTOK-200-W	O-Shape Micro Track 2 meters White
L-MTOK-200-S	O-Shape Micro Track 2 meters Silver
L-MTOK-300-B	O-Shape Micro Track 3 meters Black

PRODUCT DESCRIPTION

FLANGE



REFERENCES

L-MTFL-01-B	Flange for O-Shape Track, Black
L-MTFL-01-W	Flange for O-Shape Track, White
L-MTFL-01-S	Flange for O-Shape Track, Silver

PRODUCT DESCRIPTION

LIVE END CONNECTOR



REFERENCES

L-MTOEC-01-B	Live End Connector for O-Shape track, Black
L-MTOEC-01-W	Live End Connector for O-Shape track, White
L-MTOEC-01-S	Live End Connector for O-Shape track, Silver

PRODUCT DESCRIPTION

STRAIGHT JUNCTION CONNECTOR



REFERENCES

L-MTOSJ-01-B	Straight Junction Connector for O-Shape track, Black
L-MTOSJ-01-W	Straight Junction Connector for O-Shape track, White
L-MTOSJ-01-S	Straight Junction Connector for O-Shape track, Silver

PRODUCT DESCRIPTION

90° CORNER JUNCTION



REFERENCES

L-MTOCJ-01-B	90° Corner Junction for O-shape Track, Black
L-MTOCJ-01-W	90° Corner Junction for O-shape Track, White
L-MTOCJ-01-S	90° Corner Junction for O-shape Track, Silver

PRODUCT DESCRIPTION

END CAP



REFERENCES

L-MTOCP-01-B	End Cap for O-Shape Track, Black
L-MTOCP-01-W	End Cap for O-Shape Track, White
L-MTOCP-01-S	End Cap for O-Shape Track, Silver

PRODUCT DESCRIPTION

R-SHAPED MICRO TRACK

RECESSED MICRO TRACK



REFERENCES

L- MTRTK- 100- B

L-MTRTK-100-W

L-MTRTK-200-B

L-MTRTK-200-W

PRODUCT DESCRIPTION

R-Shape Micro Track 1 meter Black

R-Shape Micro Track 1 meter White

R-Shape Micro Track 2 meters Black

R-Shape Micro Track 2 meters White

LIVE END CONNECTOR



REFERENCES

L-MTREC-01-B

L-MTREC-01-W

PRODUCT DESCRIPTION

Live End Connector for R-shape Track, Black

Live End Connector for R-shape Track, White

STRAIGHT JUNCTION CONNECTOR



REFERENCES

L-MTRSJ-01-B

L-MTRSJ-01-W

PRODUCT DESCRIPTION

Straight Junction Connector for R-shape Track, Black

Straight Junction Connector for R-shape Track, White

90° CORNER JUNCTION



REFERENCES

L-MTRCJ-01-B

L-MTRCJ-01-W

PRODUCT DESCRIPTION

90° Corner Junction for R-shape Track, Black

90° Corner Junction for R-shape Track, White

END CAP



REFERENCES

L-MTRCP-01-B

L-MTRCP-01-W

PRODUCT DESCRIPTION

End Cap for R-shape track, Black

End Cap for R-shape track, White

Different spotlights require different drivers - please contact us to know which to add to your order.

LED DRIVERS 12V



REFERENCES

PLC-30-12

PLC-60-12

LPV-100-12

PRODUCT DESCRIPTION

LED Driver 12V/30W

LED Driver 12V/60W

LED Driver 12V/100W

LED DRIVERS 12V - EUROPE



REFERENCES

NPF-40

NPF-90

PRODUCT DESCRIPTION

LED Driver 12V/40W

LED Driver 12V/90W

PICK-UP CONNECTOR



REFERENCES

L-MTPK-01-B

PRODUCT DESCRIPTION

Pick-up Connector 12V, with cable 0.5m

PHOTO 10

PHOTO CREDITS

Cover Photo

COVER CREDITS

Museum: Brooklyn Museum

Case Fabricator of Colorama case: Hadley Exhibits

Photo Credit: Here And Now Agency

Lighting Designer: LightEmotion

Photo 1

Museum: American Museum of Natural History

Lighting Designer: Renfro Design Group

Case Fabricator: ClickNetherfield

Exhibit Designer: Ralph Appelbaum Associates

Exhibit Fabricator: Kubik Maltbie

Photo Credit: © Frank Oudeman/OTTO

Photo 2

Crystal Bridges Museum, The Dirty South Exhibit, Cabinet of Wonders.

The Dirty South is organized by the Virginia Museum of Fine Arts:

Valerie Cassel Oliver VMFA's Sydney and

Frances Lewis Family Curator of Modern and Contemporary Art

Photo 3

Exhibition Museum: University of Arizona Museum of Art

Exhibition Fabricator: Design and Production

Exhibition Photo Credit: Logan Havens

Exhibition Lighting Designer: Technical Artistry - Kyle Chepulis

Case Fabricator: Meyvaert

Photo 4

Museum: Academy Museum of Motion Pictures

Exhibition Case Fabricator: Zone Display Cases

Photo: Joshua White JWPictures.com

Exhibition Lighting Designer: Available Light

Exhibition Lighting Integrator: Clearwing System Integration

Photo 5

Credits: Original Tibetan Cultural Museum

Qinghai, China

Photo 6

Museum: The Metropolitan Museum of Art

Exhibition Fabricator: Dimensional Worldwide

Exhibition Graphic Designer: Abby Chen (Met Staff)

Exhibition Curators: Hannah Beachler, Michelle Commander, Sarah E. Lawrence (Met Staff), Ian Alteveer (Met Staff)

Exhibition Lighting Designer: Amy Nelson (Met Staff)

Exhibition Designer: Hannah Beachler, Fabiana Weinberg (Met Staff)

Exhibition Production Artist: Sarah Parke (Met Staff)

Photo Credit: The Metropolitan Museum of Art

Photo 7

Museum: Philipse Manor Hall

Exhibit Designer: Amaze Design

Exhibit Fabricator: Split Rock Studios

Lighting Designer: Christensen Lighting

Case Manufacturer: Zone Display Cases

Photo Credit: Gilbertson Photography

Photo 8

Museum: Library of Congress

Lighting Designers: Marc Roman and Dave Jung (LOC Staff)

Photo Credit: Shawn Miller

Photo 9

Exhibition Museum: Musée de la Toile de Jouy

Photo 10

Exhibition Museum: University of Arizona Museum of Art

Exhibition Fabricator: Design and Production

Exhibition Photo Credit: Logan Havens

Exhibition Lighting Designer: Technical Artistry - Kyle Chepulis

Case Fabricator: Meyvaert

NORTH AMERICA

Academy Museum of Motion Pictures, CA
 Alabama State Archives, Montgomery, AL
 American Museum of Natural history, NY
 Appomattox Court House Museum, VA
 Armenian Museum of America, MA
 Autry Museum of the West
 Babe Ruth Birthplace, MD
 Bank of Canada Museum, ON, Canada
 Boston Fine Art, Boston, MA
 Carnegie Museum of Natural History, PA
 Carnegie Museum of New Hampshire, NH
 Central Synagogue, Manhattan, NY
 Chicago History Museum, IL
 Chicago Museum of Science and Industry, Chicago, IL
 Cincinnati Art Museum, OH
 Cleveland Museum of Natural History, OH
 Collier County Museum, FL
 Cranbrook Institute, MI
 Crystal Bridges Museum, AR
 Dior Exhibit, Brooklyn Museum, NY
 Emory University, GA
 Fine Arts Museum of San Francisco, CA
 First Division Museum at Cantigny, Wheaton, IL
 Ford's Theatre, DC
 Frazier Historical Arms Museum, Louisville, KY
 Frick Collection, NY
 George W. Bush Presidential Library, Dallas, TX
 Georgia State Capitol Museum, GA
 GIA Institute, CA
 Hillwood Estate Museum, DC
 Jamestown/Yorktown Foundation, VA
 Jim Moran foundation, FL
 Knoxville Museum of Art, TN
 LSU Museum of Art, LA
 Marco Island Museum, FL
 Mariners Museum, VA
 Metropolitan Museum of Art, NY
 Mississippi Museum of Natural History, MI
 Mississippi Museum of Natural history, Jackson, MS
 Mt. Vernon Education Center, VA
 Museum of American Finance, NY
 Museum of Fine Art p Boston, MA
 Nantucket Whaling Museum, Nantucket, MA
 National Archives, DC
 National Air and Space Museum, DC
 National Civil War Museum, PA
 National Infantry Museum, GA
 National Museum of African American History and Culture, DC
 National Museum of American History, DC
 National Museum of American Indians, NY
 National Museum of Natural history, DC
 National Museum of Natural History, DC
 National Museum of the American Indian, DC
 National Museum of United States Army, VA
 National Museum of Women in the Arts, Washington, DC
 National Music Museum, SD
 National Portrait Gallery, DC
 National Postal Museum, DC
 New York Historical Society, NY
 Newseum, DC
 Norton Museum of Art, FL
 Old Conn. Statehouse, CT
 Peabody Essex Museum, MA
 Perfume Passage Foundation,
 Philadelphia Museum of Art, PA
 Philipse Manor Hall, NY
 Pitts Theology Library Emory University, Atlanta, GA
 Polk County Museum, FL
 Ronald Regan Presidential Library, CA
 Sandoway Nature Center, Delray, FL
 Smithsonian Libraries, DC
 Sports Legends Museum – Camden Yards, Baltimore, MD
 The Asia Society, NY

The Catholic Museum of America, DC
 The Cloisters, NY
 The Henry Ford Museum, MI
 The Holy Land attraction, Orlando, FL
 The Flight Path Museum & Learning Center LAX, CA
 The Library of Congress, Washington, DC
 The Mob Museum
 The White House Porcelain Collection, DC
 UArizona Alfie Norville Gem & Mineral Museum, AR
 University Conn Ballard Museum of Puppetry, CT
 University of Florida Harn Museum of Asian Art, Gainesville, FL
 US Marine Corps Museum, VA
 US Mint, Philadelphia, PA
 US Naval Academy – John Paul Jones crypt, Annapolis, MD
 USC – Doheny Library Treasure Room, Los Angeles, CA
 US Golf Association Museum
 Vassar College, NY
 Virginia Museum of Fine Art, VA
 Walters Art Museum, Baltimore, MD
 Walt Disney/ France Pavillion Epcot, FL

SOUTH AMERICA

Acheological Museum of Piura, Peru
 Museu Carlos Costa Pinto, Salvador de Bahia, Brasil Museum of Sacred Art, Belem, Brasil
 Museo de la moda, Santiago, Chile
 Museo de Bellas Artes, Santiago, Chile

EUROPE

Amsterdam University Library
 Archeological museum of Mykenae
 Army Museum, Bruxelles
 Ashmolean Museum, Oxford
 Australian Memorial Monash Villers bretonneux, France
 Blaschka collection, Aquarium, Liège
 Byzantyne Museum, Athens
 Carolus Borromeus, Antwerpen, Belgium
 Faberge and Icon exhibition, Vatican
 Hasselt Museum, Belgium
 Diamond museum, Antwerpen, Belgium
 Faberge Exhibition, Venaria Reale, Torino
 Gaasbeek castle, Belgium
 Historische Museum, Basel
 Holborn museum, Bath, UK
 Katoenatie museum, Antwerpen, Belgium
 King's Library British Museum, UK
 La Bibliothèque Nationale, Paris
 Landesmuseum Emden, Germany
 Le Musée d'Orsay, Paris
 Le Musée des Antiquités Nationales de Saint Germain en Laye
 Manching Kelt Museum, Germany
 Le Musée Fragonard de Grasse
 Le Palais de la Découverte, Paris
 Les Archives Nationales, Paris
 Library Braunschweg, Germany
 Maison Rouge, Paris
 MAS, Antwerpen, Belgium
 National Bavaria Library, Munich, Germany
 Middelheim Museum, Atwerppen, Belgium
 Mineralogy Museum, Liban
 Musee parfum Fragonard, France
 Musée Borelli, France
 Musée de l'Armée, Invalides, France
 Musée de l'esclavage, Pointe à pitre, Guadeloupe, France
 Musee de la Chasse, France
 Musée de la dentelle, Calais, France
 Musée de la gendarmerie, Melun, France
 Musée de la Toile de Jouy, France
 Musée du Louvre, France
 Musée Delvaux Brussels, Belgium
 Musée Historique de Strasbourg, France
 Musée des Beaux Arts, Bruxelles
 Musée L. Louvain la Neuve, Belgium

Musée M leuven, Belgium
 Museum of London
 Museum of Natural History, Madrid
 National Archeological Museum of Athens
 National Archeological Museum of Thessaloniki
 National Bavaria Museum, Munich, Germany
 National Museum of Iceland
 National Museum of Ireland 1916
 Order of St John Museum, London, UK
 Palais Borely, Marseille, France
 Palais de Tokyo , Paris, France
 Palais de Versailles, France
 Petit Palais, Paris, France
 Pitt Rivers Museum, Oxford
 Preston Porcelain Museum, UK
 Rijks egyptian collection Leiden Holland
 RMO Leiden, National Museum of Antiques, Netherlands
 Royal Library Bruxelles
 Royal Medieval Textile Museum, Burgos, Spain
 Saint Peter Babbey, Gent, Belgium
 Toy Museum, Luxembourg
 Valencia History Museum, Spain

ASIA

Asian Civilization Museum, Singapore
 Cartier & Women, Palace Museum, HK
 Ceramic gallery, Reference Collection, Forbidden city, Beijing
 Chiang Mai National Museum, Thailand
 Dior Exhibit, National Museum of Qatar
 Fireboat Museum, Hong Kong
 Hubei history Museum, China
 Hunan Museum, China
 Indian Heritage Museum, Singapore
 Inner Mongolia Museum, China
 Louvre Abu-Dhabi, UAE
 National Library, Singapore
 National Library, Singapore
 National Museum of Singapore
 Peranakan Museum, Singapore
 QASR Al Watan - Abu Dhabi, UAE
 Shenzen Regional Museum, China
 Shindagha, Dubai
 The Chariots, The Terra Cotta Museum, Xian, China

OCEANIA

Australia Museum , Sydney ,Australia
 Australian National Maritime Museum He Tohu ,Wellington, New Zealand
 MONA, Hobart, Tasmania
 National Gallery of Victoria, Melbourne, Australia
 State Library of Victoria, Melbourne, Australia
 The Shrine, Melbourne, Australia
 TMAG, Hobart, Tasmania
 University of Melbourne, Old Quad, Multivocal, Australia



LUXAM
Lighting For Museums

LUXAM.COM | INFO@LUXAM.COM



LUXAM USA

12201 NW 35th Street #534
Coral SpringS, FL 33065
P: +19547557354 Email: info@luxam.com

LUXAM UK

184 Park Avenue
London NW10 7XL
Email: info@luxam.com

LUXAM EUROPE

80 rue du Dessous des Berges
75013 Paris Phone: +33982272946
Email: france@luxam.com