



LUXAM
Lighting For Museums

LUXAM.COM



MicroLED System

Product Catalog



WORLD'S LEADING
MUSEUM SHOWCASE
LIGHTING COMPANY

TABLE OF CONTENTS

4	MicroLED System
5	MicroTrack Tracks
6	All Microtrack Fixtures
7	MicroTrack Spotlight Variations
8	MicroTrack Spotlight Fixtures
9	Spotlight Photometrics
10	MicroTrack Spotlight Accessories
11	MicroTrack Accessory Booster
14	MicroTrack Lightbar Fixtures
15	Lightbar Photometrics
16	Quadri Framing Shutter Spotlight
17	Quadri Framing Shutter Photometrics
20	MicroTrack Wall Washers
21	MicroTrack Wall Washer Photometrics
24	MicroMono Standalone Fixtures
26	MicroMono Standalone Stem Fixtures
30	Talea 10MM LEDStick
34	2023 MicroLED Order Codes
45	Drivers
46	Photo Credits
47	References



MICROLED SYSTEM

The Luxam MicroLED system enables to easily set up a high quality, functional lighting, within museums and galleries. Each powerful fixture has individual adjustable beam spreads and brightness levels, making it effortless to craft a perfectly tailored light.


Within the MicroLED Family we have two systems - the MicroTrack which includes spotlights, lightbars and wall washer which go on tracks; and the MicroMono - standalone versions of the spotlights, stems, and ledsticks.



MICROTRACK TRACKS

Tracks are available in 1M, 2M, and can be custom cut. Available colors are Black, White, and Silver.

L-MTHTK



L-MTOTK



L-MTRTK



ALL MICROTRACK FIXTURES

All fixtures can mix and match on the same track.

SPOTLIGHTS



WALL WASHERS



QUADRI - FRAMING SHUTTER



LINEAR LIGHTBAR



MICROTRACK SPOTLIGHT VARIATIONS

L-MTSP-12 1W



1W with onboard dimmer

- FEATURES:**
- Fully compatible with all MicroTrack systems
 - Compatible accessories : Barndoors, Angled Snoots, & Filter frames
 - Two versions:
 - Available with Remote Dimming : L-MTSP-11

- STANDALONE VERSIONS:**
- with onboard dimmer (L-MTSA-12)
 - without onboard dimmer (L-MSPS-10)
 - L-UPL-10-1, L-UPL-10-2/3/4



L-MTSP-02 3W



3W with onboard dimmer

- FEATURES:**
- Fully compatible with all MicroTrack systems
 - Fully dimmable and focusable
 - Full range of accessories including Barndoors, Snoots, Filter Frames, etc.
 - Two versions:
 - Available with Remote Dimming : L-MTSP-01

- STANDALONE VERSIONS:**
- with onboard dimmer (L-MTSA-02)
 - without onboard dimmer (L-MSPS-00)



L-MTSP-22 6W




6W with onboard dimmer

- FEATURES:**
- Fully compatible with all MicroTrack systems
 - Fully Dimmable and Focusable
 - Compatible accessories : Angled Snoots & Barndoor
- Quadri Framing Shutter Head can be added to the body of the L-MTSP-22 and transform into L-MTFS-22
- STANDALONE VERSIONS:**
- with onboard dimmer (L-MTSA-22)




MICROTRACK SPOTLIGHT FIXTURES



L-MTSP-12 1W

Voltage/wattage	12V / 1.2W
Input current	100mA
Beam angles	Zoomable 9° to 70°
Luminous flux	98 lm @RA97 / 56 lm
CTT available	3000K, 4000K, 5000K
Dimmable options	Onboard Dimmer PWM 0-100%
CRI	97 typ
Weight	39g
Main materials	Aluminum


Color finished	Black, White and Silver
Working temperature	10°C to 25°C
Storage temperature	Recommended 22°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30
Without Onboard dimmer:	L-MTSP-11



L-MTSP-02 3W

Voltage/wattage	12V / 3.8W
Input current	340mA
Beam angles	Zoomable 8° to 56°
Luminous flux	270 lm @RA97 / 130 lm
CTT available	3000K, 4000K, 5000K
Dimmable options	Onboard Dimmer PWM 0-100%
CRI	97 typ
Weight	84g
Main materials	Aluminum

Color finished	Black, White and Silver
Working temperature	10°C to 25°C
Storage temperature	Recommended 22°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30
Without Onboard dimmer:	L-MTSP-01



L-MTSP-22 6W

Voltage/wattage	11V-24VDC / 7.8W
Input current	650mA - 330mA
Beam angles	Zoomable 8° to 55°
Luminous flux	813 lm @RA97 / 255 lm
CTT available	3000K, 4000K, 5000K
Dimmable options	Onboard Dimmer PWM 0-100%
CRI	97 typ
Weight	158g
Main materials	Aluminum

Color finished	Black, White and Silver
Working temperature	10° to 25°C
Storage temperature	Recommended 22°C
Lifespan	50000 hours
Certificates	UL, CE
Warranty	5 years
Protection	IP30




SPOTLIGHT PHOTOMETRICS

L-MTSP-12 1W




1W with Onboard Dimmer



L-MTSP-02 3W




3W with Onboard Dimmer



L-MTSP-22 6W




6W with Onboard Dimmer



MICROTRACK SPOTLIGHT ACCESSORIES



L-MTSP-12 1W



L-MTAS-10 L-MTBD-10 L-MTFH-10 L-MTBR-10




L-MTSP-02 3W



L-MTFH-01 L-MTAR-01 L-MTSC-01 L-MTSN-01 L-MTAS-01 L-MTBD-01 L-MTBST-01



L-MTSP-22 6W




L-MTAS-20 L-MTBD-20 L-MTFH-20

MICROTRACK ACCESSORY BOOSTER

L-MTBST-01



L-MTSP-02 spotlights with L-MTBST-01 Booster accessory



10 MICROLED SYSTEM

PHOTO 3



L-MTSP-02



L-MTSP-02 + L-MTBST-01

PHOTOMETRICS COMPARISON

(lx)	8°	(diameter)	distance (m)	(lx)	5°	(diameter)
8,800		Ø0.12m	0.5m	24,621		Ø0.07m
2,200		Ø0.25m	1m	6,155		Ø0.15m
997		Ø0.37m	1.5m	2,735.7		Ø0.22m
550		Ø0.50m	2m	1,538.8		Ø0.29m
352			2.5m	984.88		Ø0.37m
244			3m	683.9		Ø0.44m

MICROLED SYSTEM 11



MICROTRACK LIGHTBAR FIXTURES



Dimmer Switch
0-100%


Fully compatible with all MicroTrack systems
Available with Clear or Frosted Filters
Onboard Dimmer and Tilt function

The LightBar can be used alone or with other MicroTrack fixtures to provide the desired effect - wash and spot.


The 1W, 3W, and the 6W MicroTrack heads can be combined together with the Lightbar on the same track. All have the ability to be individually dimmed creating a highly functional system.



L-MTBA-01-B/W-45



L-MTBA-01-B/W-90




TECHNICAL DATA: L-MTBA-01

Power Input	7W/450mm// 15W/900mm-Voltage:12VDC	Filter	Clear or frosted	Distance	1m, 2m
Control	On-board Dimmer	Rotation angle	0-50°	L-MTBA-01-B/W-45	80 lux, 20 lux
LED	Smart Eco	Body	Aluminum / PC	L-MTBA-01-B/W-90	140 lux, 35 lux
CRI	97	Rating	IP30		
CCT available	3000K , 4000K , 5000K	Dimensions	450-900*27*38 (mm)		


LIGHTBAR PHOTOMETRICS



L-MTBA-450 Lightbar 7W (18")



L-MTBA-900 Lightbar 15W (36")



QUADRI FRAMING SHUTTER SPOTLIGHT

FEATURES:
Fully compatible with all MicroTrack systems
Fully dimmable and Focusable

L-MTFS-02 3W




L-MTFS-02
3W - Quadri Framing Shutter Spotlight

L-MTFS-22 6W




L-MTFS-22
6W - Quadri Framing Shutter Spotlight



TECHNICAL DATA: L-MTFS-02

Voltage/wattage	11v -24VDC / 3.8W
Beam angle	55°
Input Current	340mA
Polarity	No polarity required
Dimming	Onboard Dimmer PWM 0-100%
CRI	97 typ
CCT available	3000K, 4000K, 5000K
Head Pan	355° /tilt 90°
Indoor use	IP30
Material	Alum. Alloy / PC




TECHNICAL DATA: L-MTFS-22


Voltage/wattage	11v -24VDC / 7.8W
Beam angle	55°
Input Current	650mA - 330mA
Polarity	No polarity required
Dimming	Onboard Dimmer PWM 0-100%
CRI	97 typ
CCT	3000K, 4000K, 5000K
Head Pan	355° /tilt 90°
Rating	IP30
Material	Aluminum

QUADRI FRAMING SHUTTER PHOTOMETRICS

L-MTFS-02 3W



L-MTFS-22 6W



The Quadri L-MTFS-02 and L-MTFS-22 are Framing Shutter spotlights and work with all our MicroLED tracks.

The L-MTSP-22 6W Spotlight can transform into the L-MTFS-22 Quadri spotlight - with one body you can have either a spotlight or a framing shutter spotlight.




VARIATIONS

- 
L-MTSP-22
6W Spotlight with onboard dimmer
- 
L-MSPS-20
6W Standalone Solid Surface
- 
L-MTSA-22
6W Standalone Spotlight
- 
L-MFSA-22
6W Quadri Standalone



MICROTRACK WALL WASHERS



FEATURES:

- These fixtures are designed to evenly highlight a wall from top to bottom, also used inside the showcases they light the back panels.
- Fully compatible with all MicroTrack systems
- Available in Black or White
- Onboard dimmer

L-MTWS-22 5W



TECHNICAL DATA: L-MTWS-22

Power	5W
Beam angle	Washer effect
Voltage	12V DC
Input Current	410mA
Class	III
Dimmer	Onboard Dimmer PWM 0-100%
CRI	97 typ
CCT available	3000K , 4000K , 5000K
Indoor use	IP30
Material	Alum. Alloy / PC


L-MTWS-32 10W



TECHNICAL DATA: L-MTWS-32

Power	10.5W
Beam angle	Washer effect
Voltage	12V DC
Input Current	860mA
Class	III
Dimmer	Onboard Dimmer PWM 0-100%
CRI	97 typ
CCT available	3000K , 4000K , 5000K
Indoor use	IP30
Material	Alum. Alloy / PC


MicroTrack Wall Washer Fixture Photometrics





MICROMONO STANDALONE FIXTURES

The standalone heads are ideal when there is no possibility to use a track or when only individual lights are required.



MICROMONO STANDALONE FIXTURES



L-MTSA-12

Voltage	12 VDC	CRI	97 typ	Lens	Glass BK7
Power	1.2W	Standard	UL - CE	Beam angles	9° to 70°
Input Current	100mA	Tilt angle	90°	Light Color	3000K, 4000K, 5000K
Dimmer	PWM 0-100% with onboard dimmer	Pan angle	355°	Fixture Color	Black, White or Silver

L-MTSA-02

Voltage	12 VDC	CRI	97 typ	Lens	Glass BK7
Power	3.8W	Standard	UL - CE	Beam angles	8° to 56°
Input Current	340mA	Tilt angle	90°	Light Color	3000K, 4000K, 5000K
Dimmer	PWM 0-100% with onboard dimmer	Pan angle	355°	Fixture Color	Black, White or Silver

L-MTSA-22

Voltage	11V - 24VDC	CRI	97 typ	Lens	Glass BK7
Power	7.2W	Standard	UL - CE	Beam angles	8° to 55°
Input Current	650mA - 330m A	Tilt angle	90°	Light Color	3000K, 4000K, 5000K
Dimmer	PWM 0-100% with onboard dimmer	Pan angle	355°	Fixture Color	Black, White and Silver

L-MFSA-22

Voltage	11V - 24VDC	CRI	97 typ	Lens	Glass BK7
Power	6W	Standard	UL - CE	Beam angles	8° to 55°
Input Current	650mA - 330m A	Tilt angle	90°	Light Color	3000K, 4000K, 5000K
Dimmer	PWM 0-100% with onboard dimmer	Pan angle	355°	Fixture Color	Black, White and Silver

L-MSPS-10

Voltage	For Constant Current	CRI	97	Lens	Glass BK7
Power	1W	Standard	UL - CE	Beam angles	9° to 70°
Input Current	300W 350m A	Tilt angle	90°	Light Color	3000K, 4000K, 5000K
Dimmer	PWM0-100% with remote dimmer	Pan angle	355°	Fixture Color	Black, White or Silver

L-MSPS-00

Voltage	For Constant Current	CRI	97 typ	Lens	Glass BK7
Power	3W	Standard	UL - CE	Beam angles	8° to 56°
Input Current	700-1000mA	Tilt angle	90°	Light Color	3000K, 4000K, 5000K
Dimmer	PWM 0-100% with remote dimmer	Pan angle	355°	Fixture Color	Black, White or Silver


L-MSPS-20

Voltage	For Constant Current Driver	CRI	97 typ	Lens	Glass
Power	6W	Standard	UL - CE	Beam angles	8° to 55°
Input Current	165mA	Tilt angle	90°	Light Color	3000K, 4000K, 5000K
Dimmer	PWM 0-100% with remote dimmer	Pan angle	355°	Fixture Color	Black, White or Silver



MICROMONO STANDALONE STEM FIXTURES

L-UPL-10-1 STEM1



Stem 1 comes with a 6mm rod with ad justable heights


FEATURES:

- STEM 1 has a single stationary spot light
- Full range of accessories – Barndoors, Snoots, Filter frame, etc.
- Stem 1 comes with a 6mm rod with ad justable heights
- Focusable from 10° to 60°
- Standard height: 30cm

TECHNICAL DATA : L-UPL-10-1

Voltage/Wattage	For Constant Current
Input Current	300-350mA Constant Current (connect in series)
Beam angles	9° to 70°
Dimmable options	Compatible PWM with external dimmer
CRI	97 typ
CCT	3000K, 4000K, 5000K
Main materials	Aluminum Alloy / PC
Color Definition	Black, White and Silver
Certificates	UL - CE
Warranty	5 years
Protection	IP30

L-UPL-10-2/3/4



FEATURES:

- Choose between 2, 3, or 4 heads - standard or custom heights available
- Full range of accessories – Barndoors, Snoots, Filter frame, etc.
- Fixed on a 10mm bar
- Focusable from 9° to 60°
- Standard height: 40cm - Long option: up to 90cm stem

TECHNICAL DATA : L-UPL-10-2/3/4

Voltage/Wattage	For Constant Current
Input Current	600-700mA/900-1050mA/1200-1400mA
Beam angles	9° to 70°
Dimmable options	Compatible PWM with external dimmer
CRI	97 typ
CCT	3000K, 4000K, 5000K
Main materials	Aluminum Alloy / PC
Color Definition	Black, White, Silver, Gold
Certificates	UL - CE
Warranty	5 years
Protection	IP30



PHOTO 10

TALEA 10MM LEDSTICK

L-MBA-01: TALEA 10MM LEDSTICK with ADJUSTABLE BARN DOOR


Unique adjustable barndoor feature. Barndoor can be removed and can be adjusted in order to control the beam spread 30-120° degrees.

FEATURES:

- Available in 1M, 1.5M and 2M in length
- 12V input with 15, 23 and 30W output
- CCT available in 3000K, 4000K, or 5000K
- Standard color is Black Anodized
- Adjustable 30-120° degree clean cut Beamspread
- Adjustable height 5cm-2 meters

TECHNICAL DATA : L-MBA-01

Voltage/Wattage	For Constant Current
Input Current	1000mA/meter
Beam Angles	90°
Pan	355°
Dimmable Options	Dimmable with PMW driver
CRI	97+
CCT	3000K, 4000K, 5000K
Main Materials	Aluminum
Color Definition	Black, White, Silver, Gold
Certificates	UL - CE
Warranty	5 years
Protection	IP30



FROM CASES TO LOW CEILINGS

After over 20 years as museum display case lighting specialist, Luxam is coming out of cases and into spaces.

Once our MicroLED line launched, our clients using our spotlights for low ceiling applications, and exhibit/architectural lighting where a larger track and fixture could not necessarily be attached or was not needed. From new spaces to historical houses - the MicroLED line is the ideal solution for easy to use and quick to adjust high quality lighting.

We've therefore organically developed part of the MicroLED family with this evolution in mind, from recessed tracks, a larger 6W Spotlight, white and silver colors available, and now 6W Quadri Framing Shutter Spotlight.

We are always listening to our clients, designers and partners to create better tools and solutions.



2023 MICROLED SYSTEM

ORDER CODES



MICROSPOT 1W

MICROSPOT 1W



REFERENCES	PRODUCT DESCRIPTION
L-MTSP-12-B-3K	Micro spot 6W/12VDC, dimmer, 3000K, Black
L-MTSP-12-B-4K	Micro spot 6W/12VDC, dimmer, 4000K, Black
L-MTSP-12-B-5K	Micro spot 6W/12VDC, dimmer, 5000K, Black
L-MTSP-12-W-3K	Micro spot 6W/12VDC, dimmer, 3000K, White
L-MTSP-12-W-4K	Micro spot 6W/12VDC, dimmer, 4000K, White
L-MTSP-12-W-5K	Micro spot 6W/12VDC, dimmer, 5000K, White
L-MTSP-12-S-3K	Micro spot 6W/12VDC, dimmer, 3000K, Silver
L-MTSP-12-S-4K	Micro spot 6W/12VDC, dimmer, 4000K, Silver
L-MTSP-12-S-5K	Micro spot 6W/12VDC, dimmer, 5000K, Silver

MICROSPOT 1W NON-DIMMER



REFERENCES	PRODUCT DESCRIPTION
L-MTSP-11-B-3K	Wall washer for Microtrack, 5W - 3000K, Black

MICROSPOT STANDALONE 1W



REFERENCES	PRODUCT DESCRIPTION
L-MSPS-10-B-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, Black
L-MSPS-10-B-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, Black
L-MSPS-10-B-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, Black
L-MSPS-10-W-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, White
L-MSPS-10-W-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, White
L-MSPS-10-W-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, White
L-MSPS-10-S-3K	Micro Spot Standalone 1.2W/12VDC, 3000K, Silver
L-MSPS-10-S-4K	Micro Spot Standalone 1.2W/12VDC, 4000K, Silver
L-MSPS-10-S-5K	Micro Spot Standalone 1.2W/12VDC, 5000K, Silver

MICROSPOT STANDALONE 1W DIMMER



REFERENCES	PRODUCT DESCRIPTION
L-MTSA-12-B-3K	Micro Spot Standalone 1.2W/12VDC, dimmer, 3000K, Black
L-MTSA-12-B-4K	Micro Spot Standalone 1.2W/12VDC, dimmer, 4000K, Black
L-MTSA-12-B-5K	Micro Spot Standalone 1.2W/12VDC, dimmer, 5000K, Black
L-MTSA-12-W-3K	Micro Spot Standalone 1.2W/12VDC, dimmer, 3000K, White
L-MTSA-12-W-4K	Micro Spot Standalone 1.2W/12VDC, dimmer, 4000K, White
L-MTSA-12-W-5K	Micro Spot Standalone 1.2W/12VDC, dimmer, 5000K, White
L-MTSA-12-S-3K	Micro Spot Standalone 1.2W/12VDC, dimmer, 3000K, Silver
L-MTSA-12-S-4K	Micro Spot Standalone 1.2W/12VDC, dimmer, 4000K, Silver
L-MTSA-12-S-5K	Micro Spot Standalone 1.2W/12VDC, dimmer, 5000K, Silver

MICROSPOT 1W ACCESSORIES

BARNDOOR



REFERENCES	PRODUCT DESCRIPTION
L-MTBD-10-B	Barndoor for 1.2W Micro spot, Black
L-MTBD-10-W	Barndoor for 1.2W Micro spot, White
L-MTBD-10-S	Barndoor for 1.2W Micro spot, Silver

ANGLED SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTAS-10-B	Angled snoot for 1.2W Micro Spot, Black
L-MTAS-10-W	Angled snoot for 1.2W Micro Spot, White
L-MTAS-10-S	Angled snoot for 1.2W Micro Spot, Silver

FILTER HOLDER



REFERENCES	PRODUCT DESCRIPTION
L-MTFH-10-B	Filter holder for 1.2W Micro Spot, Black
L-MTFH-10-W	Filter holder for 1.2W Micro Spot, White
L-MTFH-10-S	Filter holder for 1.2W Micro Spot, Silver

MICRO SPOT 3W

MICROSPOT 3W



REFERENCES	PRODUCT DESCRIPTION
L-MTSP-02-B-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, Black
L-MTSP-02-B-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, Black
L-MTSP-02-B-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, Black
L-MTSP-02-W-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, White
L-MTSP-02-W-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, White
L-MTSP-02-W-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, White
L-MTSP-02-S-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, Silver
L-MTSP-02-S-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, Silver
L-MTSP-02-S-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, Silver

MICROSPOT 3W
NON-DIMMER



REFERENCES	PRODUCT DESCRIPTION
L-MTSP-01-B-ND 3W	Micro spot 3.8W/12VDC, non-dim 3000K, Black

MICROSPOT
STANDALONE 3W



REFERENCES	PRODUCT DESCRIPTION
L-MSPS-00-B-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, Black
L-MSPS-00-B-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, Black
L-MSPS-00-B-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, Black
L-MSPS-00-W-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, White
L-MSPS-00-W-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, White
L-MSPS-00-W-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, White
L-MTSP-00-S-3K	Micro Spot Standalone 3.8W/12VDC, 3000K, Silver
L-MTSP-00-S-4K	Micro Spot Standalone 3.8W/12VDC, 4000K, Silver
L-MTSP-00-S-5K	Micro Spot Standalone 3.8W/12VDC, 5000K, Silver

MICROSPOT STANDALONE
3W DIMMER



REFERENCES	PRODUCT DESCRIPTION
L-MTSA-02-B-3K	Micro Spot Standalone 3.8W/12VDC, dimmer, 3000K, Black
L-MTSA-02-B-4K	Micro Spot Standalone 3.8W/12VDC, dimmer, 4000K, Black
L-MTSA-02-B-5K	Micro Spot Standalone 3.8W/12VDC, dimmer, 5000K, Black
L-MTSA-02-W-3K	Micro Spot Standalone 3.8W/12VDC, dimmer, 3000K, White
L-MTSA-02-W-4K	Micro Spot Standalone 3.8W/12VDC, dimmer, 4000K, White
L-MTSA-02-W-5K	Micro Spot Standalone 3.8W/12VDC, dimmer, 5000K, White
L-MTSA-02-S-3K	Micro Spot Standalone 3.8W/12VDC, dimmer, 3000K, Silver
L-MTSA-02-S-4K	Micro Spot Standalone 3.8W/12VDC, dimmer, 4000K, Silver
L-MTSA-02-S-5K	Micro Spot Standalone 3.8W/12VDC, dimmer, 5000K, Silver

QUADRI 3W



REFERENCES	PRODUCT DESCRIPTION
L-MTFS-02-B-3K	Framing Shutter Spotlight, 3.8W/12-24VDC, Dimmer, 3000K, Black
L-MTFS-02-B-4K	Framing Shutter Spotlight, 3.8W/12-24VDC, Dimmer, 4000K, Black
L-MTFS-02-W-3K	Framing Shutter Spotlight, 3.8W/12-24VDC, Dimmer, 3000K, White
L-MTFS-02-W-4K	Framing Shutter Spotlight, 3.8W/12-24VDC, Dimmer, 4000K, White

MICRO SPOT 3W ACCESSORIES

BARNDOOR



REFERENCES	PRODUCT DESCRIPTION
L-MTBD-01-B	Barndoor for 3.8W Spot, Black
L-MTBD-01-W	Barndoor for 3.8W Spot, White
L-MTBD-01-S	Barndoor for 3.8W Spot, Silver

FULL SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTSN-01-B	Snoot for 3.8W Spot, Black
L-MTSN-01-W	Snoot for 3.8W Spot, White
L-MTSN-01-S	Snoot for 3.8W Spot, Silver

ANGLED SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTAS-01-B	Snoot for 3.8W Spot, Black
L-MTAS-01-W	Snoot for 3.8W Spot, White
L-MTAS-01-S	Snoot for 3.8W Spot, Silver

CONE SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTSC-01-B	Cone Snoot for 3.8W Spot, Black
L-MTSC-01-W	Cone Snoot for 3.8W Spot, White
L-MTSC-01-S	Cone Snoot for 3.8W Spot, Silver

FILTER HOLDER



REFERENCES	PRODUCT DESCRIPTION
L-MTFH-01-B	Filter Holder for 3.8W Spot, Black
L-MTFH-01-W	Filter Holder for 3.8W Spot, White
L-MTFH-01-S	Filter Holder for 3.8W Spot, Silver

ARCHITECTURE
HOLDER



REFERENCES	PRODUCT DESCRIPTION
L-MTAR-01-B	Architecture Filter for 3.8W Spot, Black
L-MTAR-01-W	Architecture Filter for 3.8W Spot, White
L-MTAR-01-S	Architecture Filter for 3.8W Spot, Silver

BOOSTER



REFERENCES	PRODUCT DESCRIPTION
L-MTBST-01-B	Booster for 3.8W Spot, Black
L-MTBST-01-W	Booster for 3.8W Spot, White
L-MTBST-01-S	Booster for 3.8W Spot, Silver

MICRO SPOT 6W

MICROSPOT 6W



REFERENCES	PRODUCT DESCRIPTION
L-MTSP-22-B-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, Black
L-MTSP-22-B-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, Black
L-MTSP-22-B-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, Black
L-MTSP-22-W-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, White
L-MTSP-22-W-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, White
L-MTSP-22-W-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, White
L-MTSP-22-S-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, Silver
L-MTSP-22-S-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, Silver
L-MTSP-22-S-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, Silver

MICROSPOT
STANDALONE
6W DIMMER



REFERENCES	PRODUCT DESCRIPTION
L-MTSA-22-B-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, Black
L-MTSA-22-B-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, Black
L-MTSA-22-B-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, Black
L-MTSA-22-W-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, White
L-MTSA-22-W-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, White
L-MTSA-22-W-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, White
L-MTSA-22-S-3K	Micro spot 3.8W/12VDC, dimmer, 3000K, Silver
L-MTSA-22-S-4K	Micro spot 3.8W/12VDC, dimmer, 4000K, Silver
L-MTSA-22-S-5K	Micro spot 3.8W/12VDC, dimmer, 5000K, Silver

MICROSPOT
STANDALONE SOLID
SURFACE 6W



REFERENCES	PRODUCT DESCRIPTION
L-MSPS-20-B	Standalone solid surface 6W/12-24VDC, dimmer, 3000K/4000K Black
L-MSPS-20-W	Standalone solid surface 6W/12-24VDC, dimmer, 3000K/4000K White
L-MSPS-20-S	Standalone solid surface 6W/12-24VDC, dimmer, 3000K/4000K Silver

QUADRI 6W
STANDALONE



REFERENCES	PRODUCT DESCRIPTION
L-MFSA-22-B	Quadri Standalone with integrated dimmer 6W/12-24 VDC, dimmer, 3000K/4000K Black
L-MFSA-22-W	Quadri Standalone with integrated dimmer 6W/12-24 VDC, dimmer, 3000K/4000K White

QUADRI 6W



REFERENCES	PRODUCT DESCRIPTION
L-MTFS-22-B	Framing Shutter, 6W/12V-24VDC, dimmer, 3000K/4000K, Black
L-MTFS-22-W	Framing Shutter, 6W/12V-24VDC, dimmer, 3000K/4000K, White

MICRO SPOT 6W ACCESSORIES

LED ENGINE 6W



REFERENCES	PRODUCT DESCRIPTION
L-MTLED-22-B	Led Engine 6W, 3000K/4000K, Black

ZOOM LENS 6W



REFERENCES	PRODUCT DESCRIPTION
L-MTZO-22-B	ZOOM LENS 6W, Black

FRAMING SHUTTER LENS PLUS ADAPTER



REFERENCES	PRODUCT DESCRIPTION
L-MTQAD	Framing shutter lens + Adapter

BARNDOOR



REFERENCES	PRODUCT DESCRIPTION
L-MTBD-20-B	Barndoor for 6W Spot, Black
L-MTBD-20-W	Barndoor for 6W Spot, White
L-MTBD-20-S	Barndoor for 6W Spot, Silver

ANGLED SNOOT



REFERENCES	PRODUCT DESCRIPTION
L-MTAS-20-B	Snoot for 6W Spot, Black
L-MTAS-20-W	Snoot for 6W Spot, White
L-MTAS-20-S	Snoot for 6W Spot, Silver

LIGHTBAR AND WALLWASHER

MICROSPOT WALLWASHER 5W



REFERENCE	DESCRIPTION
L-MTWS-22-B-3K	Wall washer for Microtrack, 5W - 3000K, Black
L-MTWS-22-B-4K	Wall washer for Microtrack, 5W - 4000K, Black
L-MTWS-22-W-3K	Wall washer for Microtrack, 5W - 3000K, White
L-MTWS-22-W-4K	Wall washer for Microtrack, 5W - 4000K, White

MICROSPOT WALLWASHER 10W



REFERENCE	DESCRIPTION
L-MTWS-32-B-3K	Wall washer for Microtrack, 5W - 3000K, Black
L-MTWS-32-B-4K	Wall washer for Microtrack, 5W - 4000K, Black
L-MTWS-32-W-3K	Wall washer for Microtrack, 5W - 3000K, White
L-MTWS-32-W-4K	Wall washer for Microtrack, 5W - 4000K, White

BARNDOOR FOR WALLWASHER



REFERENCE	DESCRIPTION
L-MTBD-22-B	Barndoor for L-MTWS-22, Black
L-MTBD-32-B	Barndoor for L-MTWS-32, Black
L-MTBD-22-W	Barndoor for L-MTWS-22, White
L-MTBD-32-W	Barndoor for L-MTWS-32, White

MICROTRACK LED BAR



REFERENCE	DESCRIPTION
L-MTBA-01-B-450-3K	Microtrack LED Bar, 3000K, 450mm (18"), Black
L-MTBA-01-B-450-4K	Microtrack LED Bar, 4000K, 450mm (18"), Black
L-MTBA-01-W-450-3K	Microtrack LED Bar, 3000K, 450mm (18"), White
L-MTBA-01-W-450-4K	Microtrack LED Bar, 4000K, 450mm (18"), White
L-MTBA-01-B-900-3K	Microtrack LED Bar, 3000K, 900mm (36"), Black
L-MTBA-01-B-900-4K	Microtrack LED Bar, 4000K, 900mm (36"), Black
L-MTBA-01-W-900-3K	Microtrack LED Bar, 3000K, 900mm (36"), White
L-MTBA-01-W-900-4K	Microtrack LED Bar, 4000K, 900mm (36"), White

STEMLIGHT



REFERENCE	DESCRIPTION
L-UPL-10-1-B	StemLight 1 head on 6mm stem - Black - 3000K/4000K/5000K
L-UPL-10-1-W	StemLight 1 head on 6mm stem - White - 3000K/4000K/5000K
L-UPL-10-1-S	StemLight 1 head on 6mm stem - Silver - 3000K/4000K/5000K
L-UPL-10-2-B	StemLight 2 heads on 10mm stem - Black - 3000K/4000K/5000K
L-UPL-10-2-W	StemLight 2 heads on 10mm stem - White - 3000K/4000K/5000K
L-UPL-10-2-S	StemLight 2 heads on 10mm stem - Silver - 3000K/4000K/5000K
L-UPL-10-2-G	StemLight 2 heads on 10mm stem - Gold - 3000K/4000K/5000K
L-UPL-10-3-B	StemLight 3 heads on 10mm stem - Black - 3000K/4000K/5000K
L-UPL-10-3-W	StemLight 3 heads on 10mm stem - White - 3000K/4000K/5000K
L-UPL-10-3-S	StemLight 3 heads on 10mm stem - Silver - 3000K/4000K/5000K
L-UPL-10-3-G	StemLight 3 heads on 10mm stem - Gold - 3000K/4000K/5000K
L-UPL-10-4-B	StemLight 4 heads on 10mm stem - 3000K - Black - 3000K/4000K/5000K
L-UPL-10-4-W	StemLight 4 heads on 10mm stem - 3000K - White - 3000K/4000K/5000K
L-UPL-10-4-S	StemLight 4 heads on 10mm stem - 3000K - Silver - 3000K/4000K/5000K
L-UPL-10-4-G	StemLight 4 heads on 10mm stem - 3000K - Gold - 3000K/4000K/5000K

TALEA LEDBAR 10mm



REFERENCE	DESCRIPTION
L-MBA-01-B-100	LED BAR 10mm, 100cm, 12V / 15W, Black
L-MBA-01-B-150	LED BAR 10mm, 150cm, 12V / 23W, Black
L-MBA-01-B-200	LED BAR 10mm, 200cm, 12V / 30W, Black

H-SHAPE MICRO TRACK

H-SHAPE MICRO TRACK



REFERENCES	PRODUCT DESCRIPTION
L- MTHTK- 100- B	H-shape micro Track 1 meter, Black
L-MTHTK-100-W	H-shape micro Track 1 meter, White
L-MTHTK-100-S	H-shape micro Track 1 meter, Silver
L-MTHTK-200-B	H-shape micro Track 2 meters, Black
L-MTHTK-200-W	H-shape micro Track 2 meters, White
L-MTHTK-200-S	H-shape micro Track 2 meters, Silver

LIVE END CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
L-MTEC-01-B	Live end connector for H-shape Track, Black
L-MTEC-01-W	Live end connector for H-shape Track, White
L-MTEC-01-S	Live end connector for H-shape Track, Silver

STRAIGHT JUNCTION CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
L-MTSJ-01-B	Straight junction connector for H-shape Track, Black
L-MTSJ-01-W	Straight junction connector for H-shape Track, White
L-MTSJ-01-S	Straight junction connector for H-shape Track, Silver

90° CORNER JUNCTION



REFERENCES	PRODUCT DESCRIPTION
L-MTCJ-01-B	90° corner junction for H -shape Track, Black
L-MTCJ-01-W	90° corner junction for H -shape Track, White
L-MTCJ-01-S	90° corner junction for H -shape Track, Silver

90° INSIDE FLAT CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
L-MTFCJ-01-B	90° inside-slot Flat connector for H -shape Track

END CAP



REFERENCES	PRODUCT DESCRIPTION
L-MTCP-01-B	End cap for H-shape track, Black
L-MTCP-01-W	End cap for H-shape track, White
L-MTCP-01-S	End cap for H-shape track, Silver

CACHE



REFERENCES	PRODUCT DESCRIPTION
L-MTCTK-01-100-B	Cache for H and O track slot / meter, Black
L-MTCTK-01-100-W	Cache for H and O track slot / meter, White

O-SHAPE MICRO TRACK

O-SHAPED MICRO TRACK



REFERENCES	PRODUCT DESCRIPTION
L-MTOTEK-100-B	O-shape micro Track 1 meter, Black
L-MTOTEK-100-W	O-shape micro Track 1 meter, White
L-MTOTEK-100-S	O-shape micro Track 1 meter, Silver
L-MTOTEK-200-B	O-shape micro Track 2 meters, Black
L-MTOTEK-200-W	O-shape micro Track 2 meters, White
L-MTOTEK-200- S	O-shape micro Track 2 meters, Silver
L-MTOTEK-300	O-shape micro Track (3m), Black

LIVE END CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
L-MTOEC-01-B	Live end connector for O-shape track, Black
L-MTOEC-01-W	Live end connector for O-shape track, White
L-MTOEC-01-S	Live end connector for O-shape track, Silver

STRAIGHT JUNCTION CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
L-MTOSJ-01-B	Straight junction connector for O-shape track, Black
L-MTOSJ-01-W	Straight junction connector for O-shape track, White
L-MTOSJ-01-S	Straight junction connector for O-shape track, Silver

90° CORNER JUNCTION



REFERENCES	PRODUCT DESCRIPTION
L-MTOCJ-01-B	90° corner junction for O -shape Track, Black
L-MTOCJ-01-W	90° corner junction for O -shape Track, White
L-MTOCJ-01-S	90° corner junction for O -shape Track, Silver

END CAP



REFERENCES	PRODUCT DESCRIPTION
L-MTOCP-01-B	End cap for O-shape Track, Black
L-MTOCP-01-W	End cap for O-shape Track, White
L-MTOCP-01-S	End cap for O-shape Track, Silver

END CAP



REFERENCES	PRODUCT DESCRIPTION
L-MTFL-01-B	Flange for O-shape Track, Black
L-MTFL-01-W	Flange for O-shape Track, White
L-MTFL-01-S	Flange for O-shape Track, Silver

CACHE



REFERENCES	PRODUCT DESCRIPTION
L-MTCTK-01 100-B	Cache for H and O track slot / meter, Black
L-MTCTK-01-100-W	Cache for H and O track slot / meter, White

R-SHAPED MICRO TRACK

RECESSED MICRO TRACK



REFERENCES	PRODUCT DESCRIPTION
L-MTRTK-100-B	R-shape micro Track 1 meter, Black
L-MTRTK-100-W	R-shape micro Track 1 meter, White
L-MTRTK-200-B	R-shape micro Track 2 meter, Black
L-MTRTK-200-W	R-shape micro Track 2 meters, White

LIVE END CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
L-MTREC-01-B	Live end connector for R-shape track, Black
L-MTREC-01-W	Live end connector for R-shape track, White

STRAIGHT JUNCTION CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
L-MTRSJ-01-B	Straight junction connector for R-shape track, Black
L-MTRSJ-01-W	Straight junction connector for R-shape track, White

90° CORNER JUNCTION




REFERENCES	PRODUCT DESCRIPTION
L-MTRCJ-01-B	90° corner junction for R -shape Track, Black
L-MTRCJ-01-W	90° corner junction for R -shape Track, White

END CAP



REFERENCES	PRODUCT DESCRIPTION
L-MTRCP-01-B	B End cap for R-shape Track, Black
L-MTRCP-01-W	B End cap for R-shape Track, White

CACHE



REFERENCES	PRODUCT DESCRIPTION
L-MTCTK-01 100-B	Cache for H and O track slot / meter, Black
L-MTCTK-01-100-W	Cache for H and O track slot / meter, White

Different spotlights require different drivers - please contact us to know which to add to your order.

LED DRIVERS 12V



REFERENCES	PRODUCT DESCRIPTION
PLC-30-12	LED Driver 12V/30W
PLC-60-12	LED Driver 12V/60W
LPV-100-12	LED Driver 12V/100W

LED DRIVERS 12V - EUROPE



REFERENCES	PRODUCT DESCRIPTION
NPF-40	LED Driver 12V/40W
NPF-90	LED Driver 12V/90W

PICK-UP CONNECTOR



REFERENCES	PRODUCT DESCRIPTION
L-MTPK-01-B	Picking Connector 12V/18W




PHOTO CREDITS

Cover Photo

COVER CREDITS
Museum: Brooklyn Museum
Case Fabricator of Colorama case: Hadley Exhibits
Photo Credit: Here And Now Agency
Lighting Designer: LightEmotion

Photo 1

Museum: American Museum of Natural History
Lighting Designer: Renfro Design Group
Case Fabricator: ClickNetherfield
Exhibit Designer: Ralph Appelbaum Associates
Exhibit Fabricator: Kubik Maltbie
Photo Credit:© Frank Oudeman/OTTO

Photo 2

Crystal Bridges Museum, The Dirty South Exhibit, Cabinet of Wonders.
The Dirty South is organized by the Virginia Museum of Fine Arts:
Valerie Cassel Oliverm VMFA's Sydney and
Frances Lewis Family Curator of Modern and Contemporary Art

Photo 3

Exhibition Museum: University of Arizona Museum of Art
Exhibition Fabricator: Design and Production
Exhibition Photo Credit: Logan Havens
Exhibition Lighting Designer: Technical Artistry – Kyle Chepulis
Case Fabricator: Meyvaert

Photo 4

Museum: Academy Museum of Motion Pictures
Exhibition Case Fabricator: Zone Display Cases
Photo: Joshua White JWPictures.com
Exhibition Lighting Designer: Available Light
Exhibition Lighting Integrator: Clearwing System Integration

Photo 5

Credits: Museum: National Museum of American History
Exhibit Designer: Reich+Petch
Exhibit Fabricator: Cinnabar
Lighting Designer: Available Light
Lighting integrator: EOS Lighttmedia
Case Fabricators: Meyvaert
Multimedia: Cortina Productions
Ewing Cole
Photo Credit: Jay Rosenblatt Photography

Photo 6

Museum: National Music Museum
Exhibit Design: Luci Creative
Exhibit Fabrication: Ravenswood Studio Inc.
Casework: Click Netherfield
Showcase and Reader Rail Lighting Focus: LUXAM
Media Producer: Northern Light Productions
AV Integration: Electrosonic
Photo: Courtesy of Jaron Keener (edited)

Photo 7

Credits: Original Tibetan Cultural Museum
Qinghai, China
Photo Credit: Mathias Guillin

Photo 8

Museum: The Metropolitan Museum of Art
Exhibition Fabricator: Dimensional Worldwide
Exhibition Graphic Designer: Abby Chen (Met Staff)
Exhibition Curators: Hannah Beachler, Michelle Commander, Sarah E. Lawrence (Met Staff), Ian Alteveer (Met Staff)
Exhibition Lighting Designer: Amy Nelson (Met Staff)
Exhibition Designer: Hannah Beachler, Fabiana Weinberg (Met Staff)
Exhibition Production Artist: Sarah Parke (Met Staff)
Photo Credit: The Metropolitan Museum of Ar

Photo 9

Credits: Sanxingdui Museum
Photo Credit: Mathias Guillin

Photo 10

Museum: Philipse Manor Hall
Exhibit Designer: Amaze Design
Exhibit Fabricator: Split Rock Studios
Lighting Designer: Christensen Lighting
Case Manufacturer: Zone Display Cases
Photo Credit: Gilbertson Photography

Photo 11

Museum: Library of Congress
Lighting Designers: Marc Roman and Dave Jung (LOC Staff)
Photo Credit: Shawn Miller

Photo 12

Exhibition Museum: Musée de la Toile de Jouy

Photo 13

Exhibition Museum: University of Arizona Museum of Art
Exhibition Fabricator: Design and Production
Exhibition Photo Credit: Logan Havens
Exhibition Lighting Designer: Technical Artistry – Kyle Chepulis
Case Fabricator: Meyvaert

REFERENCES

NORTH AMERICA

Academy Museum of Motion Pictures, CA
Alabama State Archives, Montgomery, AL
American Museum of Natural history, NY
Appomattox Court House Museum, VA
Armenian Museum of America, MA
Autry Museum of the West
Babe Ruth Birthplace, MD
Bank of Canada Museum, ON, Canada
Boston Fine Art, Boston, MA
Carnegie Museum of Natural History, PA
Carnegie Museum of New Hampshire, NH
Central Synagogue, Manhattan, NY
Chicago History Museum, IL
Chicago Museum of Science and Industry, Chicago, IL
Cincinnati Art Museum, OH
Cleveland Museum of Natural History, OH
Collier County Museum, FL
Cranbrook Institute, MI
Crystal Bridges Museum, AR
Dior Exhibit, Brooklyn Museum, NY
Emory University, GA
Fine Arts Museum of San Francisco, CA
First Division Museum at Cantigny, Wheaton, IL
Ford's Theatre, DC
Frazier Historical Arms Museum, Louisville, KY
Frick Collection, NY
George W. Bush Presidential Library, Dallas, TX
Georgia State Capitol Museum, GA
GIA Institute, CA
Hilllwood Estate Museum, DC
Jamestown/Yorktown Foundation, VA
Jim Moran foundation, FL
Knoxville Museum of Art, TN
LSU Museum of Art, LA
Marco Island Museum, FL
Mariners Museum, VA
Metropolitan Museum of Art, NY
Mississippi Museum of Natural History, MI
Mississippi Museum of Natural history, Jackson, MS
Mt. Vernon Education Center, VA
Museum of American Finance, NY
Museum of Fine Art p Boston, MA
Nantucket Whaling Museum, Nantucket, MA
National Archives, DC
National Air and Space Museum, DC
National Civil War Museum, PA
National Infantry Museum, GA
National Museum of African American History and Culture, DC
National Museum of American History, DC
National Museum of American Indians, NY
National Museum of Natural history, DC
National Museum of Natural History, DC
National Museum of the American Indian, DC
National Museum of United States Army, VA
National Museum of Women in the Arts, Washington, DC
National Music Museum, SD
National Portrait Gallery, DC
National Postal Museum, DC
New York Historical Society, NY
Newseum, DC
Norton Museum of Art, FL
Old Conn. Statehouse, CT
Peabody Essex Museum, MA
Perfume Passage Foundation,
Philadelphia Museum of Art, PA
Philipse Manor Hall, NY
Pitts Theology Library Emory University, Atlanta, GA

Polk County Museum, FL
Ronald Regan Presidential Library, CA
Sandoway Nature Center, Delray, FL
Smithsonian Libraries, DC
Sports Legends Museum – Camden Yards, Baltimore, MD
The Asia Society, NY
The Catholic Museum of America, DC
The Cloisters, NY
The Henry Ford Museum, MI
The Holy Land attraction, Orlando, FL
The Flight Path Museum & Learning Center LAX, CA
The Library of Congress, Washington, DC
The Mob Museum
The White House Porcelain Collection, DC
UArizona Alfie Norville Gem & Mineral Museum, AR
University Conn Ballard Museum of Puppetry, CT
University of Florida Harn Museum of Asian Art, Gainesville, FL
US Marine Corps Museum, VA
US Mint, Philadelphia, PA
US Naval Academy – John Paul Jones crypt, Annapolis, MD
USC – Doheny Library Treasure Room, Los Angeles, CA
US Golf Association Museum
Vassar College, NY
Virginia Museum of Fine Art, VA
Walters Art Museum, Baltimore, MD
Walt Disney/ France Pavilion Epcot, FL

SOUTH AMERICA

Acheological Museum of Piura, Peru
Museu Carlos Costa Pinto, Salvador de Bahia, Brasil
Museum of Sacred Art, Belem, Brasil
Museo de la moda, Santiago, Chile
Museo de Bellas Artes, Santiago, Chile

EUROPE

Amsterdam University Library
Archeological museum of Mykenae
Army Museum, Bruxelles
Ashmolean Museum, Oxford
Australian Memorial Monash Villers bretonneux, France
Blaschka collection, Aquarium, Liège
Byzantyne Museum, Athens
Carolus Borromeus, Antwerpen, Belgium
Faberge and Icon exhibition,Vatican
Hasselt Museum, Belgium
Diamond museum, Antwerpen, Belgium
Faberge Exhibition, Venaria Reale, Torino
Gaasbeck castle, Belgium
Historische Museum, Basel
Holborn museum, Bath, UK
Katoenatie museum, Antwerpen, Belgium
King's Library British Museum, UK
La Bibliothèque Nationale, Paris
Landesmuseum Emden, Germany
Le Musée d'Orsay, Paris
Le Musée des Antiquités Nationales de Saint Germain en Laye
Manching Kelt Museum, Germany
Le Musée Fragonard de Grasse
Le Palais de la Découverte, Paris
Les Archives Nationales, Paris
Library Braunschweg, Germany
Maison Rouge, Paris
MAS, Antwerpen, Belgium
National Bavaria Library, Munich, Germany
Middelheim Museum, Atwerppe, Belgium
Mineralogy Museum, Liban

Musee parfum Fragonard, France
Musée Borelli, France
Musée de l'Armée, Invalides, France
Musée de l'esclavage, Pointe a pitre, Guadeloupe, France
Musée de la Chasse, France
Musée de la dentelle, Calais, France
Musée de la gendarmerie, Melun, France
Musée de la Toile de Jouy, France
Musée du Louvre, France
Musée Delvaux Brussels, Belgium
Musée Historique de Strasbourg, France
Musée des Beaux Arts, Bruxelles
Musée L Louvain la Neuve, Belgium
Musée M leuven, Belgium
Museum of London
Museum of Natural History, Madrid
National Archeological Museum of Athens
National Archeological Museum of Thessaloniki
National Bavaria Museum, Munich, Germany
National Museum of Iceland
National Museum of Ireland 1916
Order of St John Museum, London, UK
Palais Borely, Marseille, France
Palais de Tokyo . Paris, France
Palais de Versailles, France
Petit Palais, Paris, France
Pitt Rivers Museum, Oxford
Preston Porcelain Museum, UK
Rijks egyptian collection Leiden Holland
RMO Leiden, National Museum of Antiques, Netherlands
Royal Library Bruxelles
Royal Medieval Textile Museum, Burgos, Spain
Saint Peter Babbey, Gent, Belgium
Toy Museum, Luxembourg
Valencia History Museum, Spain

ASIA

Asian Civilization Museum, Singapore
Cartier & Women, Palace Museum, HK
Ceramic gallery, Reference Collection, Forbidden city, Beijing
Chiang Mai National Museum, Thailand
Dior Exhibit, National Museum of Qatar
Fireboat Museum, Hong Kong
Hubei history Museum, China
Hunan Museum, China
Indian Heritage Museum, Singapore
Inner Mongolia Museum, China
Louvre Abu-Dhabi, UAE
National Library, Singapore
National Library, Singapore
National Museum of Singapore
Peranakan Museum, Singapore
QASR Al Watan - Abu Dhabi, UAE
Shenzen Regional Museum, China
Shindagha, Dubai
The Chariots, The Terra Cotta Museum, Xian, China

OCEANIA

Australia Museum ,Sydney ,Australia
Australian National Maritime Museum He Tohu .Wellington, New Zealand
MONA, Hobart, Tasmania
National Gallery of Victoria, Melbourne, Australia
State Library of Victoria, Melbourne, Australia
The Shrine, Melbourne, Australia
TMAG, Hobart, Tasmania
Univerity of Melbourne, Old Quad, Multivocal, Australia



LUXAM
Lighting For Museums

LUXAM.COM | INFO@LUXAM.COM



LUXAM USA

12201 NW 35th Street #534
Coral Springs, FL 33065
P: +19547557354 Email: info@luxam.com

LUXAM UK

184 Park Avenue
London NW10 7XL
Email: info@luxam.com

LUXAM EUROPE

80 rue du Dessous des Berges
75013 Paris Phone: +33982272946
Email: france@luxam.com