

## FEATURES

- Fully focusable 8° to 56°
- Can add dimmer to the driver
- Accepts all 3W accessories
- Magnet base option available
- These fixtures need to be wired together in series.

## 3W ACCESSORIES



L-MTFH-01  
FILTER  
HOLDER



L-MTAR-01  
ARCHITECTURAL  
SNOOT  
LENS



L-MTSN-01  
SNOOT



L-MTSC-01  
CONE SNOOT



L-MTAS-01  
ANGLED SNOOT



L-MTBD-01  
BARNDOOR



L-MTBS-01  
BOOSTER




**TECHNICAL DATA**

<b>Driving Voltage</b>	For Constant Current Drivers with an output voltage range starting from 2.75V DC or less	<b>Color Finishing</b>	Black, White and Silver
<b>Wattage Once Used</b>	3W	<b>Working Temperature</b>	recommended 10°C to 25°C
<b>Input Current</b>	700-1000mA Constant Current (connect in series)	<b>Storage Temperature</b>	recommended 22°C
<b>Beam Angles</b>	Zoomable 8 to 56°	<b>Certificates</b>	UL-CE
<b>Pan / Tilt</b>	355°/90°	<b>Waranty</b>	5 years
<b>Luminous Flux &amp; Lumens</b>	270lm @RA97 / 130 lm	<b>Class</b>	◊III
<b>Color Temperatures Available</b>	3000K,4000K,5000K	<b>Rating</b>	IP30
<b>Adapter</b>	Surface mount	<b>Drivers Compatible</b>	CC
<b>Dimmable Options</b>	Dimmable with PWM driver	<b>Lifespan</b>	50000H
<b>CRI</b>	97 typ	<b>Lens</b>	Glass
<b>Main Material</b>	Aluminum	<b>LED</b>	SMD Ceramic
<b>Indoor Use</b>	Only	<b>Length of Tail</b>	145cm

**These fixtures need to be wired together in series.**

**PHOTOMETRICS**





**DRIVERS**

Driver	Min-Max #of Fixtures	Current	Setting
AD-36-200-1200-U1P1	3-18 Fixtures	CC	900mA (10-54V)
SE-10-350-700-W1A	1-4 Fixtures	CC	700mA (2-12V)
SE-12-350-700-W1A	4-8 Fixtures	CC	700mA (10-24V)
SE-20-100-700-W1A	4-15 Fixtures	CC	700mA (9-42V)
SE-30-200-800-W1A	4-15 Fixtures	CC	700mA (9-42V)
SE-40-300-1050-W1A	4-15 Fixtures	CC	700mA (9-42V)
DMX-25-150-900-U1P1	4-18 Fixtures	CC	900mA (10-54V)
L-CT-DMX/RDW-1-3W-6CH	1-2 Fixtures/Channel	CC	700mA (3-21V)

**SCREW SIZES:** Focus and Articulation: 1.5 mm  
Base: 0.9mm

**VARIATIONS**



**L-MTSA-02**  
3W Standalone  
Onboard Dimmer



**L-MTSP-02**  
L-MTSP-02 with  
onboard dimmer



**L-MTSP-01-ND**  
3W Spotlight  
No dimmer

Please check product cut sheets for details - driver indications vary per product.