



**FEATURES**

- Our micro track head in a stand-alone configuration dual base magnetic and screw in base w/detent
- Onboard dimmer
- Fully Focusable 8° to 56°.

**3W ACCESSORIES**



L-MTFH-01  
FILTER  
HOLDER



L-MTAR-01  
ARCHITECTURAL  
SNOOT  
LENS



L-MTSN-01  
SNOOT



L-MTSC-01  
CONE SNOOT



L-MTAS-01  
ANGLED SNOOT



L-MTBD-01  
BARNDOOR



L-MTBS-01  
BOOSTER





**DRIVERS**

Driver	# Fixtures/Driver*	Current
LPV-100-12	21 Fixtures	CV
LPV-60-12	12 Fixtures	CV
LPV-35-12	6 Fixtures	CV
NPF-90-12	18 Fixtures	CV & CC
NPF-40-12	8 Fixtures	CV & CC

**SCREW SIZES** Focus and Articulation: 1.5mm  
#6 flat head screws used to attach the magnetic base to the surface prior to attachment of fixture to base.

**VARIATIONS**



**L-MSPS-00**  
3W Standalone  
Head



**L-MTSP-02**  
L-MTSP-02 with  
onboard dimmer



**L-MTSP-01-ND**  
3W Spotlight  
No Dimmer

Please check product cut sheets for details - driver indications vary per product.