




L-MBA TALEA
10MM CUTSHEET
PRODUCT CUTSHEET



SCAN
TO VIEW VIDEO



SCAN
FOR WEBSITE



FEATURES

- 30-120° beamspread using adjustable barndoors
- Available in 1m, 1.5m, and 2m
- Adjustable height 5cm-2 meters
- 12V input with 15, 23 and 30W output
- To lock the rotation axes and focus point 1.5mm and 0.9mm HEX drivers are required.

TECHNICAL DATA

Voltage	12 VDC	Color Finishing	Black, White and Silver
Led Wattage	not to mentionned	Storage Temperature	recommended 22°C
Wattage Once Used	12W/meter	Certificates / Standard	UL, CE
Input Current	1000mA/meter	Warranty	5 years
Beam Angles	103°	Drivers Compatible	Constant Voltage
Pan / Tilt	0 / 360°	Lifespan	50 000 hours
Luminous Efficiency of the LED	120lm/W @Ra97	Lens	Glass
Color Temperatures	3000K, 4000K, 5000K	LED	SMD CERAMIC
Adapter	Surface mount	Class	III, Indoor use only
Dimmable Options	Dimmable with PWM driver	Rating	IP30
CRI	97 min	Dimensions	Not to mention
Weight	431g	Lenght of Tail	145cm
Main Material	Aluminum		

PHOTOMETRICS

LMBA TALEA – 1000mm

Lux	103°	Distance
1441 lux		0.5m
360 lux		1m
160 lux		1.5m
90 lux		2m

DRIVERS COMPATIBLE

L-MBA - 1000mm

Driver	Short Description	Nbr of Fixtures	Setting
LPV-100-12	Constant Voltage driver, 100W	1 - 5	12V
LPV-60-12	Constant Voltage driver, 60W	1 - 4	12V
LPV-35-12	Constant Voltage driver, 35W	1 - 2	12V
NPF-90-12	Constant Voltage driver, 90W	1 - 6	12V
NPF-40-12	Constant Voltage driver, 40W	1 - 2	12V
LM-60-12-U1A2	Constant Voltage driver with 0-10V control, 60W	1 - 4	12V
LM-60-12-U1M2	Constant Voltage driver with DMX control, 60W	1 - 4	12V
LM-36-12-G1A2	Constant Voltage driver with 0-10V control, 36W	1 - 2	12V

To calculate the maximum length you can power, note that the L-MBA consumes 12W per meter. Simply divide your driver's capacity by 12 to determine the maximum supported length.

The number of fixtures per driver is calculated based on 80% capacity for safety reasons.

VARIATIONS



L-MBA-01-R-B-100

TALEA LEDBAR 10mm, 100cm, 12V / 15W, Black, Round Corners



L-MBA-01-SQ-B-100

TALEA LEDBAR 10mm, 100cm, 12V / 15W, Black, Square Corners

L-MBA-01-R-B-150

TALEA LEDBAR 10mm, 150cm, 12V / 23W, Black, Round Corners

L-MBA-01-SQ-B-150

TALEA LEDBAR 10mm, 150cm, 12V / 23W, Black, Square Corners

L-MBA-01-R-B-200

TALEA LEDBAR 10mm, 200cm, 12V / 30W, Black, Round Corners

L-MBA-01-SQ-B-200

TALEA LEDBAR 10mm, 200cm, 12V / 30W, Black, Square Corners